



Loft Small Direct-Vent Fireplace with Eclipse Front in Matte Black

LOFT SERIES DIRECT-VENT FIREPLACES



Loft See-Through Direct-Vent Fireplace with Matte Black and Stainless Steel Surround



Loft Medium Direct-Vent
Fireplace with Eclipse Front
in Stainless Steel



Loft Contemporary Direct-Vent Fireplaces

Available in two sizes, 18,000 and 23,000 Btu, Loft Series fireplaces let you exhibit your flair for contemporary design.

Designed for in-wall or mantel installation, Loft fireplaces feature state-of-the-art technology for extraordinary performance.

Flickering yellow flames dance atop the linear burner reflecting light off the glass and the porcelain liner to create a nearly infinite flame effect - making your Loft fireplace mesmerizing from any angle.

Fireplace Controls

Millivolt systems operate without electricity to provide heat even in a power outage and operate with an optional on-off remote control or wall switch.



Our Green Earth Preferred™ Intermittent Pilot (IP) systems improve efficiency by eliminating the standing pilot light. IP systems include an on/off switch - add a remote control to light your fireplace from anywhere in the room. In the event of a power outage, your IP system can operate with a standing pilot to provide heat.

Surrounds, Fronts and Accessories

Tailor your Loft fireplace to your décor with one of two surrounds or the Eclipse front.

The elegant matte black surround frames the fireplace and emphasizes the interior. The two-tone surround - with bold stainless steel panels at the top and bottom joined by matte black verticals - accentuates the horizontal lines of the fireplace.

Or choose the contemporary *Eclipse* front to add a slight projection into the room. Available in matte black, hammered pewter, and stainless steel.

The front attaches in minutes to the one-piece metal surround (available in Matte Black) and includes a fireplace barrier screen. The screen protects you and your family from inadvertently touching the hot glass - but without detracting from the overall view of the fireplace.

Put a twinkle in your Loft fireplace by covering the burner top with the optional decorative crushed glass. Choose from lustrous Black Polished, Blue Clear, and Clear Frost. Or glass droplets in Onyx, Ruby, and Topaz. Your dealer may offer additional colors.

Surrounds



Matte Black Surround



Stainless Steel & Matte Black Surround



Front



Eclipse Front*



Eclipse Top View

*Shown with 1-piece Metal Surround, required for Installation



Matte Black



Hammered Pewter



Stainless Steel



Black Polished
Decorative Glass



Blue Clear
Decorative Glass



Clear Frost
Decorative Glass

Loft Contemporary See-Through Direct-Vent Fireplaces

The 36-inch Loft See-Through Fireplace (30,000 Btu) measures just 18 inches deep and includes our premium Multi-Function remote control to vary the flame height and blower speed, and operate the light - all from the comfort of your recliner.

The included black porcelain liner adds to the feeling of depth. Two surrounds are required. Choose Matte Black or Stainless Steel with Matte Black (or one of each). Both include barrier screens and feature dramatic styling to complement the fireplace's contemporary styling.






Loft See-Through Direct-Vent
Fireplace with Matte Black
and Stainless Steel Surround

Loft Series Direct-Vent Fireplace Dimensions (in inches) (Dimensions are approximate - See owner's manual)

Conventional

(Shown with Surround)




	DVL25FP	DVL33FP
A	37 1/2	40 1/2
B	26	29
C	14 1/4	16 3/4
D	10 7/16	13 7/16
E	25 1/4	28 1/4
F	12 7/8	14 3/8
G	17	18 7/8
H	20 1/8	23 1/8
I	27	30
J	6 7/8	8 1/2
K	18 3/4	20 1/4
L	29	32
M	24 3/16	27 3/16
N	2	2
O	31 3/8	34 3/8



See-Through

(Shown with Surround)


	DLCX36SP
A	47 1/4
B	38 5/16
C	23
D	21
E	32 1/2
F	18 1/16
G	-
H	-
I	-
J	-
K	15 5/8
L	40 1/16
M	36 5/16
N	1 5/16
O	41



Minimum Combustible Framing Dimensions (Dimensions are approximate - See owner's manual)


Conventional

	DVL25FP	DVL33FP
A	32 1/4	35 1/4
B	29	32
C	15 1/2	17 3/8
D	21	22 3/4
E	4 (Min.)	4 (Min.)



See-Through

	DLCX36SP
A	41 1/2
B	40 1/2
C	17
D	3 (Min.)



GAS INLET		WARRANTY
Type of Gas (State on Order)	Natural or LP	All vented parts carry a 3-year limited warranty. Remote control systems carry a 1-year limited parts warranty
Iron Pipe Size (N.P.T.)	1/2 inch	
Ignition Systems	Standing Pilot/Piezo or IP	
Vent Size	4 x 6 5/8-inch (see manual for venting requirements)	

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos.

All direct-vent fireplaces manufactured after January 1, 2015, must be installed with a barrier screen to prevent accidental contact with hot glass. Depending on the fireplace model, the barrier screens are available separately or incorporated into decorative fronts. See owner's manual for details.

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932

Empire Comfort Systems
918 Freeburg Ave. Belleville, IL 62220-2623
info@empirecomfort.com

ECS-00903 1/01/15

The Empire Comfort Systems names and logos are registered U.S. trademarks.