



Exceeding Expectations  
by Design

# Indoor / Outdoor Vent-Free Gas Fireplace Systems



Premium Classic Pro  
Indoor Series



Mini Classic  
Indoor Series



Compact Classic  
Indoor Series



Classic Hearth  
Indoor Series



Fireplace Insert  
Indoor Series



Odyssey  
Outdoor Series

FIREPLACE BEAUTY WITH THE EFFICIENCY OF VENT-FREE TECHNOLOGY!

Vantage Hearth™ Vent-Free Gas Fireplaces provide clean, quiet, odorless heat, for only pennies an hour. The Vantage Hearth™ clean burning, 99% heat efficient gas fireplace operates without a chimney. Since no outside venting is required, you eliminate heat loss and cold air drafts.



A Vantage Hearth™ Vent-Free Gas Fireplace gives you the attractiveness of a real wood burning fireplace with the heating efficiency and warmth of vent-free gas space heating. No chimney or venting is required so installation is a fraction of the cost of installing a wood burning fireplace. Since the fireplace operates without electricity, it is the perfect alternative for emergency heat during power outages. These complete systems include a zero-clearance firebox, high efficiency vent-free gas logs, black louvers and concealed controls. Choose from remote control and thermostatic models and select models feature brick liners in standard or herringbone patterns. Not to mention, a variety of Vantage Hearth™ accessories to dress up the fireplaces.

With a Vantage Hearth™ Vent-Free Gas Fireplace, you get the most economical and convenient way to add the beauty of a fireplace to your home.

## The Ultimate In Heating Control

There are a variety of models so you can select the comfort setting that best suits your needs. Classic Hearths that are remote control ready allow you to use one of our optional remote controls or the built-in variable manual control to operate the fireplace, while thermostatically controlled models modulate automatically to maintain your desired heat output.



## Safety Features Built Into Every Fireplace

Vantage Hearth's Classic Hearth Vent-Free Gas Fireplace Systems are designed certified to meet or exceed all regulations and safety performance standards for vent-free gas appliances. Additionally, these fireplaces perform well within nationally recognized guidelines for indoor air quality.

The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. If either occurs, it shuts off the gas flow to the burner turning the heater off. An internal pressure regulator controls fluctuations in your gas pressure. These features ensure clean and reliable heat.

Vantage Hearth Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.+  
+ Per the findings of the American Gas Association Research when installed and operated per FMI's instructions.

### ACCESSORIES TO COMPLETE THE LOOK!



Customize your Vantage Hearth™ Vent-Free Gas Fireplace with a variety of optional cabinet mantels, or perimeter trim. Outdoor systems have the option of glass doors. Select models can be paired with beautiful rolled louvers in black finish. Filigree and louver trim are also available.

The perimeter trim, glass doors, louver trim and filigree are offered in two finishes: platinum and black. The Odyssey Outdoor Fireplace accessory bi-fold glass doors are easy to install and operate. They offer a beautiful view of the fire while reducing heat loss. Remote Controls can also be used with Remote Ready Fireplaces. Top it off with one of our Vantage Hearth™ cabinet mantels to complete the look.

See pages 10-12 for more details.



Bi-Fold Glass Doors

Platinum



Black



Stainless Steel  
Outdoor Panel Cover



TRC T-Stat  
Remote Control



Optional Black Perimeter Trim,  
Smooth Face Panel & Glass Doors



Optional Platinum Perimeter Trim,  
Glass Doors & Black Filigree



Optional Platinum Perimeter  
Trim, Filigree & Glass Doors

### Mantels



Optional Wall Mantels in a variety of  
styles and finishes (Medium Oak Shown)



LACMW - Large Adjustable Mantel (Dark Walnut)



W32T0 - 32" Wall Mantel (Medium Oak)



### 21" Standard Mini Classic (VGMR):

In many homes, finding enough space to have a fireplace can be challenging. The Vantage Hearth™ Mini Classic is the perfect solution. It is a small 10,000 Btu, remote-ready gas fireplace that will take up very little room. The 10,000 Btu output is a perfect heat range to provide comfortable heat for one or two rooms. This fireplace is approved for bedroom applications.

Custom sized cabinet mantels are available as well, in both wall and corner versions. Attractive red ceramic fiber liner and arched screen come standard.

- Zero clearance construction
- Approved for bedroom use
- 99% efficient
- Up to 10,000 Btu
- Arched screen
- Options include remote controls and cabinet mantels

### 26" Standard Single Flame Compact Classic (VMH):

When space is at a premium, a Vantage Hearth™ Single Burner Compact Gas Classic Hearth System is the perfect choice. Enjoy all of the same features and benefits of a full-size Classic Hearth. Realistic dancing yellow flames are achieved by the vent-free split oak gas logs. These complete systems include a zero-clearance compact firebox, arch screen, black louvers and concealed controls.

- Up to 26,000 Btu
- Either thermostatic or remote models available
- 99% efficient
- Accessories include cabinet mantels, remote controls and blowers



### 26" Standard Dual Flame Compact Classic (VDCF):

The Vantage Hearth™ Dual Burner Compact Classic Hearth System offers a nice “step-up” from the single burner and is ideal for mid-size rooms. The deeper firebox, full-size log set and two rows of flames provides a more realistic fireplace appearance. Recessed application (shown) or choose an optional cabinet mantel/base combination to give the appearance of a full-size mantel and base. These complete systems include a zero-clearance compact firebox, arch screen, black louvers and concealed controls.

- Up to 26,000 Btu
- Thermostatic or remote models available
- 99% efficient
- Options include designer face kits, cabinet mantels and blowers

# Fireplaces Indoor Vent-Free Gas Fireplace Systems



## **32" & 36" Performance Classic Hearth (VFS):**

The Vantage Hearth™ Performance Classic Hearth is a full-sized fireplace system complete with zero-clearance firebox, gas log set and concealed controls.

Available in 32" & 36" models, the Classic Hearth allow you to enjoy the realism of full size Remote Ready Boulder Mountain logs and glowing coals featuring outstanding log aesthetics.

A full set of both circulating flush face and louver panels come standard with these models, as well as a fan for greater heat distribution.

All fireboxes feature black interior. Specialized accessories include fiber liners, remote controls and cabinet mantels.



## **32" & 36" Premium Classic Pro (VFS):**

The Premium Classic Pro will be a showpiece in any setting! The Vantage Hearth™ Classic Pro is a full-sized fireplace system complete with zero-clearance firebox, gas log set with electronic ignition, concealed controls and remote control.

Available in 32" & 36" models, the Classic Pro allows you to enjoy the realism of full size Boulder Mountain logs and glowing coals featuring outstanding log aesthetics.

A full set of both circulating flush face and louver panels come standard with these models, as well as a vintage fiber brick liners and a fan for greater heat distribution. Simply add a cabinet mantel or custom mantel (as shown) to complete the look.



## FIREPLACE BEAUTY WITH THE EFFICIENCY OF VENT-FREE TECHNOLOGY!

A Vantage Hearth™ Vent-Free Gas Fireplace Insert is an ideal way to turn an unsightly, sooted or damaged wood burning masonry fireplace into a beautiful, 99.9% heating efficient vent-free appliance.

Simply slide into an existing fireplace, hook to gas, and presto! - you will have a beautiful, efficient gas fireplace.

The vent-free design requires no chimney and offers safe, reliable heat for pennies an hour.

The Vantage Hearth™ Fireplace Insert features a beautiful charcoal textured paint finish, heat circulating louvers and concealed remote-ready controls. The fiber ceramic logs have realistic bark, detailed split and charred areas. The revolutionary one-piece multi-log design ensures proper placement.

There are several accessories available to further enhance the performance or appearance of your Vantage Hearth™ Vent-Free Gas Insert. The GB38 and GB43 surrounds feature black trim. All surrounds conceal the installation opening around the fireplace. In addition, there are four remote controls available, see page 12 for more details.



*The Vent-Free Gas Fireplace Insert simply slides into an existing masonry fireplace. Refer to owner's installation manual for installation requirements. (Minimum Fireplace Opening 26" H x 34 3/4" W x 15 3/4" D)*

## CONVERT YOUR OLD WOOD BURNER TO AN EFFICIENT VENT-FREE APPLIANCE!



**Before**



**After**

# Fireplaces Indoor Vent-Free Gas Fireplace Systems


Classic Hearth Series Indoor Vent-Free Gas Fireplaces				
MODEL #	DESCRIPTION	BTU CAPACITY	FUEL	WEIGHT
<b>21" Standard Mini Classic Hearth Fireplaces</b>				
VGMRN	21" Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs	10,000	Natural	45.0 lbs.
VGMRP	21" Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs	10,000	Propane	45.0 lbs.
<b>26" Standard Single Flame Compact Classic Hearth Fireplaces</b>				
VMH26TNC	26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	14,000 to 26,000	Natural	41.0 lbs.
VMH26TPC	26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	14,000 to 26,000	Propane	41.0 lbs.
VMH26NRB	26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	14,000 to 26,000	Natural	41.0 lbs.
VMH26PRB	26" Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	14,000 to 26,000	Propane	41.0 lbs.
<b>26" Standard Dual Flame Compact Classic Hearth Fireplaces</b>				
VDCFNTB	26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	17,000 to 26,000	Natural	55.0 lbs.
VDCFPTB	26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	17,000 to 26,000	Propane	55.0 lbs.
VDCFRNB	26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	17,000 to 26,000	Natural	56.0 lbs.
VDCFRPB	26" Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	17,000 to 26,000	Propane	56.0 lbs.
<b>32" &amp; 36" Performance Classic Hearth Fireplaces</b>				
VFS32NRK	32" Zero-Clearance Firebox with Remote Ready Boulder Mountain Logs, Black Interior	17,000 to 25,000	Natural	107.0 lbs.
VFS32PRK	32" Zero-Clearance Firebox with Remote Ready Boulder Mountain Logs, Black Interior	17,000 to 25,000	Propane	107.0 lbs.
VFS36NRK	36" Zero-Clearance Firebox with Remote Ready Boulder Mountain Logs, Black Interior	20,000 to 33,000	Natural	153.0 lbs.
VFS36PRK	36" Zero-Clearance Firebox with Remote Ready Boulder Mountain Logs, Black Interior	20,000 to 33,000	Propane	153.0 lbs.
<b>32" &amp; 36" Premium Classic Pro Fireplaces</b>				
VFS32NEVF	32" Zero-Clearance Firebox with Electronic Ignition Boulder Mountain Logs, Remote Control, Vintage Fiber Liner	20,000 to 25,000	Natural	110.0 lbs.
VFS32PEVF	32" Zero-Clearance Firebox with Electronic Ignition Boulder Mountain Logs, Remote Control, Vintage Fiber Liner	20,000 to 25,000	Propane	110.0 lbs.
VFS36NEVF	36" Zero-Clearance Firebox with Electronic Ignition Boulder Mountain Logs, Remote Control, Vintage Fiber Liner	20,000 to 33,000	Natural	156.0 lbs.
VFS36PEVF	36" Zero-Clearance Firebox with Electronic Ignition Boulder Mountain Logs, Remote Control, Vintage Fiber Liner	20,000 to 33,000	Propane	156.0 lbs.
<b>Classic Fireplace Insert</b>				
VI33NRB**	Fireplace Insert with Remote-Ready Golden Oak Logs and T'Stat Blower	15,000 to 33,000	Natural	75.0 lbs.
VI33PRB**	Fireplace Insert with Remote-Ready Golden Oak Logs and T'Stat Blower	15,000 to 33,000	Propane	75.0 lbs.

See pages 10 - 12 for cabinet mantels and accessories. \*\* Not approved for manufactured fireplaces.

## Fireplace Dimensions

MODEL #	A	B	C	D	X	Y	Z
21" Mini Classic	16 1/4"	19 3/4"	19 3/4"	8 7/8"	16 3/4"	23 1/4"	23 1/4"
26" Single Compact	25 7/8"	26 3/4"	26 3/4"	9 1/2"	12 1/2"	26"	26"
26" Dual Compact	25 7/8"	26 3/4"	26 3/4"	14 1/4"	12 1/2"	26"	26"
32" Classic Hearth/Pro	29 3/8"	34 1/2"	24 1/2"	15 5/8"	18 1/4"	32 1/4"	36 1/2"
36" Classic Hearth/Pro	35"	41 1/8"	29 1/8"	21 1/8"	21"	36 1/8"	40 1/4"
Classic Fireplace Insert	32"	34 1/2"	22 3/8"	18 3/8"	-	25 3/4"	27"

Note: Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.



CLASSIC BEAUTY  
ULTIMATE FLEXIBILITY!

America is moving outdoors. The Vantage Hearth™ Odyssey outdoor vent-free gas fireplace systems transform just about any backyard into a private year 'round oasis.

The Odyssey offers the beauty and ambiance of a real wood outdoor fire but without the smoke, hassle and mess. They can be installed virtually anywhere, and come in one beautiful and complete package with all the conveniences and new features homeowners will love!

Note: Not intended for indoor installation.

#### Features:

- **Eye Dazzling Beauty:** The Odyssey features clean, brushed stainless steel faces and stainless mesh spark screens. The screens tuck out of sight behind hidden side pockets to maximize the beauty of the fireplace. They also include the industry's finest colored and textured refractory brick liner for a true masonry look. Integrated gas log sets feature intricately detailed bark, split wood and charred textures. Random dancing yellow flames with a deep glowing ember bed complete the full and realistic flame picture.

- **Variety of Sizes & Features:** Available in 36" and 42" sizes in natural white or warm red brick, Odyssey is perfect for any outdoor room. All controls are hidden to eliminate hearth clutter and maximize the real woodburning feel. All models feature glowing ember bed burner with remote ready control and push button ignition.

- **Versatility & Economy:** An Odyssey is extremely economical installation since it requires no venting or chimney construction whatsoever. Not only does that reduce costs, but may also be allowed where restrictions prohibit typical vented outdoor fireplaces.



*Odyssey log and burner systems feature intricately detailed log arrangements with random, dancing flames with glowing coals and embers.*



*Stainless steel mesh spark screens tuck out of sight in hidden side pockets behind the stainless steel face*

# Fireplaces Outdoor Vent-Free Gas Fireplace Systems


Performance Odyssey Series Outdoor Vent-Free Gas Fireplaces				
MODEL #	DESCRIPTION	BTU CAPACITY	FUEL	WEIGHT
<b>36" Odyssey Fireplace</b>				
VO36NRB	36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner	46,000	Natural	215.0 lbs.
VO36PRB	36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner	47,000	Propane	215.0 lbs.
VO36NRHB	36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner	46,000	Natural	215.0 lbs.
VO36PRHB	36" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner	47,000	Propane	215.0 lbs.
VO36NRRB	36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner	46,000	Natural	215.0 lbs.
VO36PRRB	36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner	47,000	Propane	215.0 lbs.
VO36NRRHB	36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner	46,000	Natural	215.0 lbs.
VO36PRRHB	36" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner	47,000	Propane	215.0 lbs.
<b>42" Odyssey Fireplace</b>				
VO42NRB	42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner	46,000	Natural	381.0 lbs.
VO42PRB	42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Stacked Brick Liner	47,000	Propane	381.0 lbs.
VO42NRHB	42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner	46,000	Natural	381.0 lbs.
VO42PRHB	42" Outdoor Fireplace, Remote Ready Gas Logs, Natural White Herringbone Brick Liner	47,000	Propane	381.0 lbs.
VO42NRRB	42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner	46,000	Natural	381.0 lbs.
VO42PRRB	42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Stacked Brick Liner	47,000	Propane	381.0 lbs.
VO42NRRHB	42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner	46,000	Natural	381.0 lbs.
VO42PRRHB	42" Outdoor Fireplace, Remote Ready Gas Logs, Warm Red Herringbone Brick Liner	47,000	Propane	381.0 lbs.

See page 12 for accessories.

## Fireplace Dimensions

MODEL #	A	B	C	D	X	Y	Z
VO36	35"	41"	29"	21"	21"	36"	40 5/8"
VO42	42"	48"	36"	23"	24"	40"	44 1/4"

Note: Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.  
 \* These models ship with steel studs not show here.





Traditional



**Traditional**  
21" Wall (W21TO)  
Medium Oak Stain

Georgian



**Georgian**  
26" Corner (C26GO)  
Medium Oak Stain

Classic



**Classic**  
32" Wall (W32CO)  
Dark Oak Stain

Traditional



**Traditional**  
36" Wall (W36TU)  
Unfinished

Cabinet Mantels					
MODEL #	LOCATION	STYLE	FINISH	COMPATIBLE FIREPLACE	
<b>21" Mini</b>					
W21TP	Wall	Traditional	White	21" Mini Classic	
C21TP	Corner	Traditional	White		
W21TO	Wall	Traditional	Medium Oak		
C21TO	Corner	Traditional	Medium Oak		
<b>26" Compact</b>					
W26TU	Wall	Traditional	Unfinished	26" Compact Classic	
C26TU	Corner	Traditional	Unfinished		
W26TO	Wall	Traditional	Medium Oak		
C26TO	Corner	Traditional	Medium Oak		
W26GO	Wall	Georgian	Medium Oak		
C26GO	Corner	Georgian	Medium Oak		
SACMO	Wall	Adjustable	Dark Oak		
SACMW	Wall	Adjustable	Dark Walnut		
<b>32" Large</b>					
W32TU	Wall	Traditional	Unfinished		32" Classic Hearth 32" Classic Pro
C32TU	Corner	Traditional	Unfinished		
W32TO	Wall	Traditional	Medium Oak		
C32TO	Corner	Traditional	Medium Oak		
W32CO	Wall	Classic	Dark Oak		
C32CO	Corner	Classic	Dark Oak		
W32DO	Wall	Traditional/Dentil	Medium Oak		
W32GO	Wall	Georgian	Medium Oak		
C32GO	Corner	Georgian	Medium Oak		
MACMO	Wall	Adjustable	Dark Oak		
MACMW	Wall	Adjustable	Dark Walnut		
<b>36" Extra Large</b>					
W36TU	Wall	Traditional	Unfinished	36" Classic Hearth 36" Classic Pro	
C36TU	Corner	Traditional	Unfinished		
W36TO	Wall	Traditional	Medium Oak		
C36TO	Corner	Traditional	Medium Oak		
LACMO	Wall	Adjustable	Dark Oak		
LACMW	Wall	Adjustable	Dark Walnut		

## Cabinet Mantels

*Vantage Hearth™ Cabinet Mantels are available in all five sizes in the Traditional style. The smaller sizes, 21" and 26", are designed with a single molding detail on the header, while the larger sizes, 32" and 36", portray a picture frame design. Georgian and Classic styles are also available in select sizes and finishes. Furniture grade adjustable mantels are also available in dark oak and dark walnut finishes.*

Adjustable



**Dark Oak Finish**

26"-32" Mantel (SACMO)  
30"-34" Mantel (MACMO)  
35"-42" Mantel (LACMO)




**Dark Walnut Finish**

26"-32" Mantel (SACMW)  
30"-34" Mantel (MACMW)  
35"-42" Mantel (LACMW)




**Mantel Dimensions**

MODEL #	A	B	C	D	E	F	G	H	I	J
<b>21" Mini</b>										
W21TP/TO	34"	13 1/2"	34 3/4"	15 1/2"	37 3/8"	22 1/2"	17 7/8"	2"	-	-
C21TP/TO	34 3/8"	-	34 3/4"	15 1/2"	37 3/8"	22 1/2"	17 7/8"	2"	25 3/8"	26"
<b>26" Compact</b>										
W26TU/TO	44 7/8"	17"	39 1/4"	19 1/2"	48"	26"	27"	4 1/4"	-	-
C26TU/TO	44 7/8"	-	39 1/4"	8 7/8"	48"	26"	27"	4 1/4"	31 3/4"	30"
W26GO	46"	18 3/8"	43 1/2"	22"	50"	26"	27"	4 1/4"	-	-
C26GO	46"	-	43 1/2"	22"	50"	26"	27"	4 1/4"	33 1/2"	33 1/2"
<b>32" Large</b>										
W32TU/TO	54 5/8"	20 3/8"	49"	24 1/2"	58 1/2"	33"	35 1/2"	4 1/4"	-	-
C32TU/TO	55 1/2"	-	53"	22 3/4"	60 1/8"	33"	35 1/2"	4 1/4"	39"	35 7/8"
W32CO	60 3/8"	23 1/8"	49"	26"	58 1/2"	33"	35 1/2"	4 1/4"	-	-
C32CO	60 3/8"	-	53"	25 5/8"	58 1/2"	33"	35 1/2"	4 1/4"	38 3/4"	38 1/2"
W32DO	55"	21 3/4"	49 3/4"	25 5/8"	53"	33"	35 1/2"	4 1/4"	-	-
W32GO	51"	23 1/8"	44 3/4"	20 1/2"	55"	33"	35 1/2"	4 1/4"	-	-
C32GO	56 1/2"	-	49"	24 1/2"	58 3/4"	33"	35 1/2"	4 1/4"	40"	38 1/4"
<b>36" Extra Large</b>										
W36TU/TO	61 1/4"	28 1/2"	56"	30 1/2"	61 1/4"	36 5/8"	42"	4 1/4"	-	-
C36TU/TO	61 1/4"	-	56"	30 5/8"	61 1/4"	36 5/8"	42"	4 1/4"	47 1/2"	42 1/2"



Note: Dimensions on this catalog are approximate.  
For accurate dimensions, refer to the installation instructions.





### Accessories for 26" Single & Dual Flame Compact Classic Fireplaces

MODEL #	DESCRIPTION	WEIGHT
<b>Perimeter Trim Kits</b>		
GAB6094	3-Piece Firebox Perimeter Trim - Black	2.0 lbs.
GAP6094	3-Piece Firebox Perimeter Trim - Platinum	2.0 lbs.
<b>Extruded Louver Kits</b>		
GAB9092	Extruded Louvers - Black	2.0 lbs.
GAP9092	Extruded Louvers - Platinum	2.0 lbs.
<b>Brick Liner Kits (Dual Flame Compact Classic Fireplaces Only)</b>		
HFL200	Stacked Brick Pattern - Aged Almond	6.0 lbs.
HFL201	Stacked Brick Pattern - Aged Red	6.0 lbs.
<b>Blower Kits</b>		
GA3450TA	Thermostatically Controlled Blower	4.0 lbs.
<b>Remote Controls (for Remote-Ready Models)</b>		
MRC	Receiver and Hand-Held On/Off Remote Control Kit	1.0 lb.
TRC	Receiver and Hand-Held T-Stat Remote Control Kit	1.0 lb.
GWMS2	Wall Mount On/Off Switch Kit	1.0 lb.
GWMT1	Wall Mount Thermostatic Control Kit	1.0 lb.
<b>Accessories for 32" &amp; 36" Classic Hearth/Pro Fireplaces</b>		
MODEL #	DESCRIPTION	WEIGHT
<b>Perimeter Trim Kits</b>		
PT32	32" Perimeter Trim Kit - Black	2.0 lbs.
PT32P	32" Perimeter Trim Kit - Platinum	2.0 lbs.
PT36	36" Perimeter Trim Kit - Black	3.0 lbs.
PT36P	36" Perimeter Trim Kit - Platinum	3.0 lbs.
<b>Panel Kits</b>		
RL32	32" Rolled Louver Panel Kit - Black	9.0 lbs.
RL36	36" Rolled Louver Panel Kit - Black	9.0 lbs.
FP32	32" Filigree Panel Kit - Black	5.0 lbs.
FP32P	32" Filigree Panel Kit - Platinum	5.0 lbs.
FP36	36" Filigree Panel Kit - Black	5.0 lbs.
FP36P	36" Filigree Panel Kit - Platinum	5.0 lbs.
<b>Louver Trim Kits (for 36" Fireplaces *Requires Rolled Louver Panel Kit, Sold Separately)</b>		
LT32P	4-pc. 32" Rolled Louver Trim Kit - Platinum	2.0 lbs.
LT36P	4-pc. 36" Rolled Louver Trim Kit - Platinum	3.0 lbs.
<b>Brick Liner Kits</b>		
BLQ32SVF	32" Vintage Brick Liner, Stacked Brick Pattern	6.0 lbs.
BLQ36SVF	36" Vintage Brick Liner, Stacked Brick Pattern	8.0 lbs.
<b>Remote Controls (for Remote-Ready Models)</b>		
MRC	Receiver and Hand-Held On/Off Remote Control Kit	1.0 lb.
TRC	Receiver and Hand-Held T-Stat Remote Control Kit	1.0 lb.
GWMS2	Wall Mount On/Off Switch Kit	1.0 lb.
GWMT1	Wall Mount Thermostatic Control Kit	1.0 lb.

### Accessories for Classic Fireplace Inserts

MODEL #	DESCRIPTION	WEIGHT
<b>Perimeter Trim Kits</b>		
GB38	30" h x 38" w Surround and Trim Kit - Black	6.0 lbs.
GB43	36 3/4" h x 43" w Surround and Trim Kit - Black	8.0 lbs.
GA3555	Duplex Receptacle/Outlet Kit	1.0 lb.
<b>Remote Controls (for Remote-Ready Models)</b>		
MRC	Receiver and Hand-Held On/Off Remote Control Kit	1.0 lb.
TRC	Receiver and Hand-Held T-Stat Remote Control Kit	1.0 lb.
GWMS2	Wall Mount On/Off Switch Kit	1.0 lb.
GWMT1	Wall Mount Thermostatic Control Kit	1.0 lb.

### Accessories for Odyssey Fireplaces

MODEL #	DESCRIPTION	WEIGHT
<b>Perimeter Trim Kits</b>		
PT36	36" Perimeter Trim Kit - Black	3.0 lbs.
PT36P	36" Perimeter Trim Kit - Platinum	3.0 lbs.
PT42	42" Perimeter Trim Kit - Black	4.0 lbs.
PT42P	42" Perimeter Trim Kit - Platinum	4.0 lbs.
<b>Face Covers</b>		
OC36	36" Fireplace Cover	13.0 lbs.
OC42	42" Fireplace Cover	16.0 lbs.
<b>Fuel Conversion Kits</b>		
PCVM-360	Natural Gas to Propane Fuel Conversion Kit (for 36" Odyssey)	1.0 lb.
NCVM-360	Propane to Natural Gas Fuel Conversion Kit (for 36" Odyssey)	1.0 lb.
PCVM-420	Natural Gas to Propane Fuel Conversion Kit (for 42" Odyssey)	1.0 lb.
NCVM-420	Propane to Natural Gas Fuel Conversion Kit (for 42" Odyssey)	1.0 lb.
<b>Heat Deflection Hoods</b>		
HS36	36" Stainless Steel Hood with 4" Brow	4.5 lbs.
HS42	42" Stainless Steel Hood with 4" Brow	5.5 lbs.
<b>Glass Doors</b>		
BD036	36" Outdoor Bi-Fold Door - Black	15.0 lbs.
BD036P	36" Outdoor Bi-Fold Door - Platinum	15.0 lbs.
BD042	42" Outdoor Bi-Fold Door - Black	17.0 lbs.
BD042P	42" Outdoor Bi-Fold Door - Platinum	17.0 lbs.



Look For Us Online:  
[www.fmiproducts.com](http://www.fmiproducts.com)

#### IMPORTANT

Installation must be done by qualified service persons.	We reserve the right to amend product specifications without notice.
Read Owner's Manual before using.	For warranty information please consult the owner's manual.
Check local codes and ordinances for permitted uses.	