

# NAPOLEON

GAS BURNING INSERTS & VENTED LOGS  
[napoleonfireplaces.com](http://napoleonfireplaces.com)



# Find your happy (fire)place.

Throughout the ages, people have gathered around fires to share in life's greatest joys. There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

And so you can keep enjoying that positive glow for years and years and years to come, every Napoleon fireplace is backed by the President's Limited Lifetime Warranty.

- Infrared™ 3 - IR3-1 ..... 4 - 5
- Infrared™ 3G - IR3G..... 6 - 7
- Infrared™ X3 - XIR3 ..... 8 - 9
- Infrared™ X4 - XIR4 ..... 10- 11
- Roxbury™ 30 - GDI-30..... 12 - 13
- Roxbury™ 3600 - GI3600..... 14 - 15
- Inspiration™ ZC - GDIZC ..... 16 - 17
- Fiberglow™ Log Series - GL18/24/30E ..... 18 - 19
- Verso™ Log Series - GL22/28/32 ..... 20 - 21
- Napoleon's Outstanding Features ..... 22 - 23
- Detailed Specifications & Line Drawings ..... 24 - 27



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 40 years and counting.



Cover Photo - Infrared™ X3 shown with Cast Iron Surround and Sandstone Brick Panels.





Napoleon's Hot Spots Research Study delivers insights on key areas of the home. In particular, how to help you add relaxation, social interaction and functionality to rooms to enhance your memorable moments.

*Throughout this brochure we will share some of our insights with you. For more inspiration visit [napoleonfireplaces.com/inspiration](http://napoleonfireplaces.com/inspiration)*



The Verso™ 32 log set shown with charcoal embers, glowing embers and charcoal lumps.

# Infrared™ 3

## Style, Comfort and Efficiency

The Napoleon Infrared™ 3 Gas Fireplace Insert offers many standard features including Napoleon's IRONWOOD™ log set that fills your firebox with beautiful YELLOW DANCING FLAMES®. The Infrared™ 3 features Napoleon's advanced infrared technology and is perfect for smaller living spaces. The Infrared™ 3 is great for home owners who want the cost saving benefits of Zone Heating (heating the room you use most) plus the benefit of replacing an old drafty masonry fireplace with an efficient heating source.

### Options & Accessories



Modulating Remote Control (included)



Newport™ Deluxe Brick Panels



Old England Grey Brick Panels



Blower Kit



MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Mineral Rock Kit



Black Zen Modern Door with Safety Barrier



Premium Scalloped Artisan Steel Door with Safety Barrier



Black 9" Five Piece Flashing



Black 9" One Piece Flashing



Contemporary Porcelain Black Rectangular Surround with Safety Barrier



Black Cast Iron Surround with Safety Barrier





### IR3-1

Up to 24,000 BTU's

Viewing Area: 29 5/8" W x 20 1/2" H

For more detailed specifications on these units, see page 24

Infrared<sup>®</sup> 3 shown with Wrought Iron Zen Modern Door with Safety Barrier and Newport<sup>™</sup> Deluxe Brick Panels.

# Infrared™ 3G

## Economical Modern Elegance

The Infrared™ 3G is the perfect solution for an economical heating source complemented with the modern elegance of a sparkling Topaz CRYSTALINE™ ember bed. The Infrared™ 3G features Napoleon's exclusive NIGHT LIGHT™ and comes with a modulating remote control and MIRRO-FLAME™ Porcelain Reflective Radiant Panels. Optional decorative accessories are also available to match any room in your home. Heating smarter and saving energy doesn't mean that you have to compromise great design.

### Options & Accessories



Blower Kit



Modulating Remote Control (included)



MIRRO-FLAME™ Porcelain Reflective Radiant Panels

### Alternate Glass Media Kits & Glass Enhancement Kits



Clear



Topaz (included)



Black



Amber



Red



Blue



Black Zen Modern Door with Safety Barrier



Premium Scalloped Artisan Steel Door with Safety Barrier



Black 9" One Piece Flashing



Black 9" Five Piece Flashing



Contemporary Porcelain Black Rectangular Surround with Safety Barrier



Black Cast Iron Surround with Safety Barrier





### IR3G

Up to 24,000 BTU's

Viewing Area: 29 5/8" W x 20 1/2" H

For more detailed specifications on this unit, see page 24

Infrared™ 3G shown with MIRRO-FLAME™ Porcelain Reflective Radiant Panels, Wrought Iron Zen Modern Door with Safety Barrier and Black 9" Five Piece Flashing.

# Infrared™ X3

## Radiant Warm Glow

The Napoleon Infrared™ X3 Gas Fireplace Insert offer a modulating dual burner system that results in a firebox filled with a stunning triple flame pattern. The Infrared™ X3 is a deluxe, direct vent infrared gas insert which offers many features including a thermostatic remote and an exclusive NIGHT LIGHT™ that radiates a warm glow throughout the room, even when the fireplace is off. The perfect solution for replacing an inefficient masonry or prefabricated fireplace.

### Options & Accessories



Modulating Remote Control (included)



Newport™ Deluxe Brick Panels



Old England Grey Brick Panels



Blower Kit



MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Mineral Rock Kit



Zen Modern Door - Painted Black Finish



Zen Modern Door - Wrought Iron Finish




Contemporary Porcelain Black Rectangular Surround



Premium Wrought Iron Scalloped Artisan Steel Door



Black 9" One Piece Flashing



Black 9" Five Piece Flashing







**XIR3**

Up to 31,000 BTU's

Viewing Area: 29 5/8" W x 20 1/2" H

For more detailed specifications on these units, see page 25

Infrared™ X3 shown with Cast Iron Surround and Newport® Brick Panels.

# Infrared™ X4

## Stunning Triple Flame Pattern

The impressive Infrared™ X4 Gas Fireplace Insert entertains a new level of fire and comfort. The Infrared™ X4 offers Napoleon's modulating dual burner system that results in a firebox filled with a stunning triple flame pattern, and allows the option of independently operating the front burner for when maximum heat is not necessary. With up to 40,000 BTU's, an impressive large clean face viewing area and a multitude of designer accessories, it's a perfect choice for larger rooms where a passion for luxury is evident.

### Options & Accessories




Modulating Remote Control (included)



Newport™ Deluxe Brick Panels



Old England Grey Brick Panels



Blower Kit (included)



MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Mineral Rock Kit



Zen Modern Door - Painted Black Finish



Zen Modern Door - Wrought Iron Finish



Black 9" One Piece Flashing



Black 9" Five Piece Flashing



Black Cast Iron Surround with Safety Barrier



Premium Wrought Iron Scalloped Artisan Steel Door



*Napoleon's Hot Spots Research Study divulges how over 90% of people surveyed strongly desire a fireplace in the family / living room.*

## **XIR4**

Up to 40,000 BTU's

Viewing Area: 34 3/4" W x 24 1/2" H

For more detailed specifications on these units, see page 25

Infrared™ X4 shown with Black 9" One Piece Flashing, MIRRO-FLAME™ Porcelain Reflective Radiant Panels and Contemporary Rectangular Surround in Porcelain Black Finish.

# Roxbury™ 30

An Elegant Heater For Any Lifestyle

The Roxbury™ 30 easily transforms your existing masonry or prefabricated fireplace into an efficient heating source, eliminating drafts and ultimately saving you money. Napoleon's exclusive PHAZER® logs, charcoal embers, heat activated variable speed blower system, realistic YELLOW DANCING FLAMES® and elegant designer options turn your room into a tranquil getaway. The state-of-the-art pan burner system guarantees a wide range of heat output with adjustable flame/heat control giving you the heat you need with a traditional masonry look and feel.

## Options & Accessories



Andirons Painted Black



F45 & F60 Remote Controls On/Off



Louvres Four Color Options



Cast Iron Surrounds Two Color Options



Sandstone Brick Panels



MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Mineral Rock Kit



Black Surround



Brushed Nickel Surround



Deluxe Black 6" Flashing



Deluxe Black 9" Flashing



Black Bevelled 6" Flashing



Arched Black Cast Iron Surround





## **GDI-30**

Up to 24,500 BTU's

Viewing Area: 30 1/16" W x 21 3/4" H

For more detailed specifications on this unit, see page 26

# Roxbury™ 3600

## Economical & Versatile

Here's the secret to a warmer, cozier home! Retrofit your drafty old fireplace with this beautiful Napoleon® gas insert. The Roxbury™ 3600 is especially designed to fit smaller wood burning, zero clearance fireplaces and comes complete with a heat activated variable speed blower system. Create the exact designer touch you have been looking for with optional choices including flashings and surrounds available in various styles and finishes.

### Options & Accessories



Andirons Painted Black



F45 & F60 Remote Controls On/Off



Louvers Four Color Options




Cast Iron Surrounds Two Color Options



Decorative Sandstone Brick Panels



MIRRO-FLAME™ Porcelain Reflective Radiant Panels



Painted Black Surround



Brushed Copper Surround



Brushed Copper Surround with Deluxe Black 6" Flashing



Black 9" Flashing



Black Bevelled 6" Flashing



Arched Black Cast Iron Surround



**HOT SPOTS**  
RESEARCH STUDY

*Fire and light have served as a beacon for centuries, visitors get a feeling of warmth and hospitality.*

**GI3600**

Up to 24,000 BTU's  
Viewing Area: 25" W x 22" H

For more detailed specifications on this unit, see page 26

Roxbury 3600 shown with Brushed Nickel Surround and Decorative Sandstone Brick Panels.

# Inspiration™ ZC

Smallest Fireplace Opening, Large Viewing Area

The multi-level advanced burner technology of the Inspiration™ ZC produces beautiful, realistic YELLOW DANCING FLAMES® and the exclusive PHAZER® log set and charcoal ember bed are so realistic, they will be mistaken for a real wood fire. This award winning gas insert is designed to fit the smallest fireplace openings but offers a large ceramic glass viewing area. The Inspiration™ ZC comes complete with a heat activated variable speed blower system making it the perfect gas insert for any room in your home.

## Options & Accessories



Andirons Painted Black



F45 & F60 Remote Controls On/Off



Cast Iron Surrounds  
Two Color Options



Decorative Sandstone  
Brick Panels



MIRRO-FLAME™ Porcelain  
Reflective Radiant Panels



Painted Black Surround



Brushed Nickel Surround




Contemporary Black Trim




Textured Satin Black 3 Sided  
Aluminum Trim



Black 3 Sided Flashing



Black 4 Sided Flashing







## **GDIZC**

Up to 24,000 BTU's

Viewing Area: 25" W x 14 1/2" H

For more detailed specifications on this unit, see page 18

Inspiration™ ZC shown with Brushed Copper Surround, Textured Satin Black 4 Sided Aluminum Trim and MIRRO-FLAME™ Porcelain Reflective Radiant Panels .

# Fiberglow™ Vented Gas Log Sets

Ambiance Your Home Deserves

No need to split and haul wood to your masonry fireplace, simply add a realistic Napoleon Gas Log Set. In today's demanding society where life never seems to slow down, we crave the simple pleasures that bring back relaxation, comfort and treasured times with family and friends. Napoleon's gas log sets feature an electronic ignition, a clean burning infrared radiant heat burner system and are available in three sizes.



**GL18E - 18" Log Set**

Up to 55,000 BTU's  
16" H x 20 3/8" W x 13 1/4" D



**GL24E - 24" Log Set**

Up to 60,000 BTU's  
16" H x 26" W x 13 1/4" D



**GL30E - 30" Log Set**

Up to 65,000 BTU's  
16" H x 30" W x 13 1/4" D

For more detailed specifications on these units, see page 27

**\*VENT FREE LOG SETS ALSO AVAILABLE.**  
*Vent free appliances not approved in Canada and some states.*

## Options & Accessories



F45 & F60 Remote Controls On/Off



Lava Rocks / Cinders (included)



Cast Iron Grate (included)





Fiberglow™ 18 shown with Grate, Andirons, Lava Rocks and Cinders.



Fiberglow™ 30 shown with Grate, Andirons, Lava Rocks and Cinders.

# Verso™ Vented Gas Log Sets

## Two Looks In One

Napoleon's Reversible Gas Log Sets can be configured for an authentic looking split-wood fire, a natural looking tree bark appearance or a combination of both. Featuring massive flames, reversible PHAZER™ logs, electronic ignition with battery back-up and high heat output, your fireplace will look like a real wood burning fireplace without the work and maintenance of using real wood. The burner pan is adjustable to allow more glowing embers to be seen. Controls are hidden but easy to access, and an optional remote control or remote wall switch are available for added convenience.

### Options & Accessories



Charcoal Lumps, Charcoal Embers & Glowing Embers (included)



F45 On/Off Remote Control



Remote Control Kit  
F45 remote, receiver, batteries, remote cradle and two ceramic fibre logs Two Color Options



Natural Tree Bark (side one)



Authentic Split Wood (side two)



**GL22 - 22" Log Set**

Up to 70,000 BTU's  
6 11/16"H x 22"W x 11 3/8"D



**GL28 - 28" Log Set**


Up to 80,000 BTU's  
6 7/8"H x 28"W x 11 3/8"D



**GL32 - 32" Log Set**

Up to 90,000 BTU's  
6 7/8"H x 32"W x 11 3/8"D

For more detailed specifications on these units, see page 27






Verso™ 28 shown with Natural Tree Bark side, Charcoal Embers, Glowing Embers and Charcoal Lumps.



Verso™ 32 shown with Authentic Split-Wood side, Charcoal Embers, Glowing Embers and Charcoal Lumps.

# Outstanding Features

of Napoleon's Advanced Technology



## Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic YELLOW DANCING FLAMES® in the industry.

## Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD™ gas control system.

## Minimum 30% savings on heating costs with Zone Heating



Zone Heating means you are heating the rooms that you use the most with an alternate heat source, like a Napoleon gas fireplace. Zone Heating is the obvious solution for families concerned about rising fuel costs.

## Outstanding Craftsmanship

Fine details are designed in every aspect of Napoleon fireplaces... individually handcrafted with pride of excellence to last a lifetime.


## Safety Screens

Napoleon, leaders in design & technology have developed safety screens with aesthetically pleasing designs for every gas appliance to ensure ultimate safety and peace of mind for your family.

# Outstanding Features

of Napoleon's Fiberglow™ Gas Log Sets


1. Air flows towards the air intake opening.
2. Natural gas or propane flow into a precisely calibrated SIT safety valve.
3. Air and fuel mix within the venturi tube.
4. The perfect blend of fuel and air mixture travels through the burner ports, strategically placed to begin the process of creating the most realistic flames in the industry.
5. Infrared heat from the exclusive PHAZERAMIC™ burner and ember bed provides up to 65,000 BTU's (GL30E).
6. Infrared heat technology and curved rear log design directs heat back into the room.
7. Controls are hidden from view but easy to access. The added feature of an on/off switch is conveniently located at the front side.
8. Flame sensor provides 100% SAFE GUARD™ system, quickly and automatically shutting off the gas supply for your peace of mind.
9. Electronic ignition with battery back-up ensures reliability without the need for electricity.
10. Ignition system is easy to operate with a digital remote control, wall switch or wall thermostat.



## Infrared™ 3

Shown on pages 4 - 5

\*Surrounds may change unit dimensions




Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Viewing Area		Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width	EnerGuide	AFUE	Steady State			
IR3-1	18 - 24,000	18 - 24,000	Top	21"	21 1/2"	29 5/8"	29"	13 1/4"	13 1/2" *	Ceramic	17"	25 9/16"	64%	66.3%	77%	Optional	Yes	Yes

\* Must add 4" (102mm) for optional blower  
Certified under Canadian and American National Standards.

## Infrared™ 3G

Shown on pages 6 - 7

\*Surrounds may change unit dimensions



Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Viewing Area		Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width	EnerGuide	AFUE	Steady State			
IR3G	15 - 24,000	17 - 24,000	Top	21"	21 1/2"	29 5/8"	29"	13 1/4"	13 1/2" *	Ceramic	17"	25 9/16"	64.2%	63.9%	80%	Optional	Yes	Yes

\* Must add 4" (102mm) for optional blower  
Certified under Canadian and American National Standards.


Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.



## Infrared™ X3 & X4

Shown on pages 8 - 11

\*Surrounds may change unit dimensions




Model	BTU's (Input)		Venting	Height			Front Width		Depth		Glass Type	Viewing Area		Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening	Actual		Minimum Opening	Height	Width	EnerGuide	AFUE			
XIR3	15 - 31,000	16 - 31,000	Top	21"	21 1/2"	29 5/8"	29"	13 1/4"	13 1/2" *	Ceramic	17"	25 9/16"	67%	68.4%	80%	Optional	Yes	Yes	
XIR4-1	16 - 40,000	15 - 40,000	Top	24 1/2"	25"	34 3/4"	34 1/4"	16 5/8"	17"	Ceramic	20 5/8"	31"	68.9%	72.4%	83%	Included	Yes	Yes	

\* Must add 4" (102mm) for optional blower  
Certified under Canadian and American National Standards.

## Inspiration™ ZC

Shown on pages 16 - 17

\*Surrounds may change unit dimensions



Model	BTU's (Input)		Venting	Height			Front Width		Depth		Glass Type	Viewing Area		Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual (Three-Sided)	Actual (Four-Sided)	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width	EnerGuide	AFUE	Steady State			
GDIZC	14 - 24,000	15 - 24,000	Top	20 3/4"	24 1/8"	14 1/2"	36"	25"	15 1/2"	11"	Ceramic	15 5/8"	28 1/8"	65.5%	65%	85%	Included	Yes	No


Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

## Roxbury™ 30

Shown on pages 12 - 13

\*Surrounds may change unit dimensions




Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Viewing Area		Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width	EnerGuide	AFUE	Steady State			
GDI-30	15 - 24,500	19 - 24,500	Top	21 3/4"	22"	30 1/16"	28"	17 7/8"	18"	Ceramic	13 5/16"	27 7/8"	64.5%	60.02%	85%	Included	Yes	No

Certified under Canadian and American National Standards.

## Roxbury™ 3600

Shown on pages 14 - 15

\*Surrounds may change unit dimensions



Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Viewing Area		Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width	EnerGuide	AFUE	Steady State			
GI3600	16 - 24,000	17 - 22,000	Top	17 1/4"	17 1/2"	25"	25 1/2"	17 1/2"	16 1/2"	Ceramic	11 3/4"	29 3/4"	62.3%	-	76%	Included	No	No

Certified under Canadian and American National Standards.


Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

## Fiberglow™ Vented Gas Log Sets


Shown on pages 18 - 19

Model	Minimum Size Fireplace Opening		
	Height*	Width	Depth
18" GL18E	18"	22"	14"
24" GL24E	20"	28"	14"
30" GL30E	22"	34"	14"


\*Allow 4-6" additional height for optimum flame appearance. Certified under Canadian and American National standards: CSA 2.26, ANSI Z21.60 decorative gas appliances for installation in solid-fuel burning appliances.





GL18E



GL24E



GL30E




GL18E / GL24E / GL30E

## Verso™ Vented Gas Log Sets


Shown on pages 20 - 21

Model	Minimum Size Fireplace Opening		
	Height	Width	Depth
22" GL22	20"	23"	14"
28" GL28	20"	29"	14"
32" GL33	22"	33"	14"


Certified under Canadian and American National standards: CSA 2.26, ANSI Z21.60 decorative gas appliances for installation in solid-fuel burning appliances.





GL22




GL28



GL32



GL22



GL28 / GL32

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.



# NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8  
103 Miller Drive, Crittenden, Kentucky, USA 41030  
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 1-866-820-8686  
napoleonfireplaces.com



Authorized Dealer

Consult your owner's manual for complete installation instructions, accurate framing dimensions and proper clearances to combustible material. Check all local and national building codes. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel inc.

Printed in Canada  
ADBRSBI 11/2017