



A true louverless design that features one of the best views and realistic fires available, plus a large variety of options to customize the perfect look for your home.

LENNOX
HEARTH PRODUCTS

DAVE LENNOX
signature
COLLECTION



Symmetry™ 45 shown with Traditional andirons and Architectural Stone liner interior.

■ Perfect symmetry; there really isn't anything simple about it. Blending form, function and art into something greater than the apparent sum of its parts isn't easy, but that is just what the Symmetry™ Series from the crafters at Lennox does. Fire in its purest form radiates warmth and draws all around closer. A stunningly detailed log set challenges your senses to discern if it is real. An amazingly capable remote system seamlessly combines function and reliability to allow for the control of every element of the experience from the comfort of your chair. All this in a fireplace that disappears into any architectural environment, leaving just the essence of the fire itself alone with you and your surroundings. The "perfect" Symmetry Series from Lennox—*simply* beautiful. ■

CUSTOMIZE TO YOUR TASTE

With the Dave Lennox *Signature™* Collection *Symmetry™* Series gas-burning fireplace, you have plenty of options to create the perfect look. Start with the required design options of a ceramic brick fireplace liner and andirons, then choose from an amazing list of optional accessories. Before you know it, you'll be relaxing in front of your dream fireplace!

STEP 1: LINERS (required design option)

Choose from seven realistic ceramic brick fireplace liners that deliver the true look of masonry craftsmanship.



Venetian Tile



Architectural Stone



Black Rustic



Buff Rustic



Buff Rustic Herringbone




Red Rustic



Red Old Cottage

STEP 2: ANDIRONS (required design option)

Choose from two andiron styles to evoke the look of a traditional hearth.



Traditional



Corinth

STEP 3: DOORS (optional)

Add a customized look with handsome Style View™ screen mesh doors.



Square pane design in Charcoal



Arch pane design in Satin Pewter

STEP 4: SCREEN PANEL KITS (optional)

Create a barrier to prevent direct contact with hot glass. Affixes directly to the front of the fireplace.



Pull screen front panel kit




Fixed screen panel



STEP 5:

FREE-STANDING SCREEN (optional)

Add a decorative element with a free-standing designer fire screen.



Dual arch



Symmetry™ Series shown in liquid propane (LP) gas with Buff Rustic Herringbone brick liner and Corinth andirons.



Fire presentation on 35" model with Corinth andirons*



Fire presentation on 40" model with Traditional andirons



Fire presentation on 45" model with Traditional andirons

STANDARD FEATURES

Deluxe panoramic pan burner and an unstructured ember bed create a dynamic fire for outstanding realism

Detailed high-definition split and full bark charred oak logs imitate the natural look of real stacked wood

Dramatic louverless design has a clean, traditional masonry look for timeless appeal

Ceramic glass enclosure panel provides an exceptional vertical-aspect view and airtight protection

21,000–39,000 BTU/hr* deliver outstanding flame height and log glow at an energy-efficient burn rate

Built-in 130CFM forced-air blower

Total Comfort Control™ features:

- Full-function remote system controls flame adjustment through six settings and six blower speed settings from the comfort of your chair
- Intelligent temperature control built into the remote modulates flame height up and down to precisely maintain your desired temperature in the living space
- Battery-backed-up valve system ensures reliable operation—even during a power failure
- Wall-mounted remote receiver with manual fireplace on/off control provides easy access for backup battery replacement
- Switchable between standing and intermittent pilot modes

Direct-vent chimney system for greater efficiency, exceptional heat output and cleaner indoor air

Patented, remotely adjustable burner air shutter helps shorten setup times and allows the fire appearance to be “dialed-in” during installation

Available in three sizes—35", 40" and 45"

Selection of ceramic brick fireplace liners available in Architectural Stone, Venetian Tile, Buff Rustic, Black Rustic, Buff Rustic Herringbone, Red Rustic or Red Old Cottage

Choice of Traditional or Corinth andirons

Backed by the Good Housekeeping Seal

*Inclusive of turn-down rates



*Propane gas shown.

DIMENSIONS



SYM-35 (35")




SYM-40 (40")




SYM-45 (45")


GAS FIREPLACE SPECIFICATIONS



Top View



Side View




Front View

FRAMING

MODEL	A	B	C	D	E	F	G	H	WIDTH	HEIGHT	DEPTH
SYM-35	40-1/8"	37-1/8"	25-5/8"	29-1/8"	35-1/8"	21-1/2"	10-3/4"	32-1/2"	35-9/16"	40-5/16"	21-7/16"
SYM-40	40-1/8"	37-1/8"	25-5/8"	34-1/8"	40-1/8"	26-1/2"	13-3/4"	32-1/2"	40-9/16"	40-5/16"	21-7/16"
SYM-45	40-1/8"	37-1/8"	25-5/8"	39-1/8"	45-1/8"	31-1/2"	15-3/4"	32-1/2"	45-9/16"	40-5/16"	21-7/16"

TYPICAL TOP-VENT-ONLY APPLICATIONS



EFFICIENCIES %

MODELS	NATURAL GAS			PROPANE		
	Canadian Energyguide Rating	Steady State	AFUE*	Canadian Energyguide Rating	Steady State	AFUE*
SYM-35	61.7	70.6	64.8	62.4	71.3	65.2
SYM-40	60.7	70.7	64.3	61.2	72.1	64.6
SYM-45	63.9	72.4	66.2	64.2	73.1	66.3

*Annual Fuel Utilization Efficiency (AFUE) is the recognized U.S. rating system for the total efficiency of heating products.

BTU INPUT

MODEL NO.	INPUT RATE (BTU/H) NG	INPUT RATE (BTU/H) LP
SYM-35	33,000 to 21,500	27,500 to 21,000
SYM-40	37,000 to 23,500	32,000 to 24,500
SYM-45	39,000 to 26,000	33,500 to 26,000

Maximum manifold pressure is 3.5 in. w.c. (0.87 kPa) for natural gas and 10 in. w.c. (2.49 kPa) for LP/Propane gas.

PRODUCTS AND DEALERS YOU CAN COUNT ON

At Lennox, we understand how important it is for you to feel comfortable at home, so we're committed to providing you with the finest hearth products available. Choosing the right dealer for your hearth needs is every bit as important as choosing the right brand, and we think you'll agree that our dealers are a big reason why you can count on getting quality customer service when you call.

On the cover: Symmetry™ 40 shown with Traditional andirons and Venetian Tile liner interior.

All Dave Lennox Signature™ Collection gas fireplaces utilize either a Secure Vent™ (rigid) or Secure Flex™ (flexible) 4.5" outer coaxial venting system, and include a limited lifetime warranty.

IMPORTANT NOTES:

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.


Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

LENNOX

HEARTH PRODUCTS

© Lennox Industries Inc. 2011

Visit us at www.lennox.com, or contact us at 1-800-9-LENNOX.



Tested & Listed By
OMNI-Test Laboratories, Inc.
Portland Oregon USA



100% recycled