Gas Log Sets for Hearth Systems THE CONVENIENCE OF GAS. THE EXPERIENCE OF AN OPEN HEARTH.



MAJESTIC

THE BEST OF BOTH WORLDS

How would you like to enjoy a full, flickering fire in your existing woodburning fireplace, without any effort and with absolutely no mess? You can with a Majestic gas log set.

Now you can have it all. The look of a traditional, open-hearth fireplace plus the clean simplicity of gas—with just the touch of a button or the press of a remote control. A gas log set doesn't overheat the room or require any change in the appearance or structure of your fireplace. Instead it delivers a realistic, room-enhancing fire, at any moment, any day of the year.


Each gas log set is designed to team with a compatible hearth kit. Campfire Logs are sold with the hearth kit. All other gas log sets require a hearth kit sold separately.



As Easy as 1-2-3

Step 1 Measure Carefully

If you already have a Majestic wood-burning fireplace, or are purchasing a new model, simply refer to the sizing chart in this brochure to find your specific model. Otherwise, take measurements of your fireplace floor (front width, depth and back width; refer to the drawing at right). Then bring the dimensions to your nearest Majestic dealer.



2 Step 2 Select a Hearth Kit/Burner

Hearth kits go hand-in-hand with your gas log set to complete your fireplace conversion. They include the burner assembly, ember bed materials, clamps, connectors, and other hardware. All gas log sets must be used with appropriately sized hearth kits, sold separately (a hearth kit is included with the Campfire log sets). Choose a hearth kit that fits your firebox, keeping in mind the three types of burner lighting systems.

The three different types of burner lighting systems are:

- Matchlight (natural gas only): requires manual lighting each time you start a fire; the absence of valves or controls allows for use of the largest log set possible (no remote available)
- Safety pilot: provides a standing pilot ready for lighting (optional remote kits and log switch kits are available for these units)
- IntelliFire[™] ignition system¹: when gas logs are turned on, the pilot lights first then ignites the main burner; when the gas logs are not operating, the pilot also shuts down; uses two D size batteries for operation with remote control option
- Grand Oak hearth kits are compatible only with Grand Oak logs
- Duzy hearth kits are compatible only with Duzy logs

Step 3 Select Your Gas Log Set

Pick your favorite design and ask your Majestic dealer to help you make sure it's available in a size that's compatible with your hearth kit.

Gas Log Sets

Six different log set designs let you achieve the look you want, in sizes to fit almost any firebox. For the most realistic appearance, we recommend selecting the largest logs your fireplace will accommodate (refer to sizing guide on back of brochure).



Fireside Grand Oak

18", 24" & 30" (2 and 3-tiered burners, 18" only available in 3-tier)

Specifically designed to fill larger fireplaces, this log set easily fills generous hearths.

- 11 authentic-looking logs, molded from real oak timber (12 logs on 30")
- State-of-the-art, tiered burner system creates a multi-level fire
- Hidden controls are easily accessible, won't detract from the fire's authenticity, and allow the log set to fit perfectly centered
- Works with two types of burners: Matchlight (NG only) and IntelliFire
- Compatible only with Grand Oak
 hearth kits



Fireside Supreme Oak

18", 24" & 30" (See-through set in 18" and 24")

Realistically-detailed logs with the appeal of a fully charred, mature fire.

- 12 authentic-looking logs, molded from real oak timber
- Works with two types of burners: Matchlight (NG only) and Safety Pilot
- Hearth kit/burner sold separately



Fireside Realwood

18" and 24"

- A good look at a great value.
- Eight richly-detailed logs
- Works with two types of burners: Matchlight (NG only) and Safety Pilot
- · Hearth kit/burner sold separately



Campfire

18", 24" and 30"

Recreates the natural look of a traditional campfire.

- Front log conceals and insulates the controls so that the log set can burn with fireplace doors closed
- 18" and 24" sets have 10 fiber logs, 30" set has 11 fiber logs
- All sizes available in Standing Pilot, 24" also available in IntelliFire
- · Includes hearth kit



Duzy 2

24" and 30'

Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces.

- Four ceramic fiber logs
- Patented Natural Flame[™] stainless steel burner
- Up to 17,000 BTUs of radiant heat
- Expertly engineered design
 prevents heat stress to controls



Duzy 3

24" and 30"

Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces.

- Six refractory cement logs
- Patented Natural Flame stainless
 steel burner
- Up to 17,000 BTUs of radiant heat
- Expertly engineered design prevents heat stress to controls



Duzy 5

24" and 30"

Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces.

- Eight ceramic fiber logs
- Patented Natural Flame stainless steel burner
- Up to 17,000 BTUs of radiant heat
- Expertly engineered design prevents heat stress to controls

Specifications

Select the gas log set that's right for you. For Majestic		Majestic													Minimum Fireplace Floor Dimensions			BTU/Hour Input		
wood-burning fireplaces, see sizing information provided. Otherwise, measure your fireplace. Next choose a hearth kit that fits. Finally, select your favorite gas log set design.		BE36	BE42	SA36	SA42	SB60	SB80	SB100	DSR36	DSR42	ASH42	ODCASTLEWD-42	ODVILLA-36	ODVILLA-42	MONTANA-36	MONTANA-42	Back Width	Depth	Front Width	
Fireside Grand Oak	Choose your hearth kit m (hearth kit includes grate,															ator	(lei)			
Log Sets	GO24MTCH-HK	, Dui	nei	a55	ennu	ny, a	and			unte	, yı	Own	ng e	mbe		ater		20"	0.01	73.000 NG
GO24 GO30	GO24MITCH-HK					•	•	•									21" 27"	20	32" 38"	80.000 NG
GO24	GO24-IPI-NG-HK/GO24-IPI-LP-HK					•	•	•									21"	20"	32"	73,000 NG / 73,000 LP
GO30	GO30-IPI-NG-HK/GO30-IPI-LP-HK					•	•	•									27"	20"	38"	80,000 NG / 73,000 LP
GO318	GO318-IPI-NG-HK/GO318-IPI-LP-HK					•	-	-									21"	20"	32"	88,000 NG / 80,000 LP
GO324	GO324-IPI-NG-HK/GO324-IPI-LP-HK						•				•						22"	23"	34"	88,000 NG / 80,000 LP
GO330	GO330-IPI-NG-HK/GO330-IPI-LP-HK							•									29"	23"	40"	92,000 NG / 82,000 LP
Campfire Log Series - in	cludes gas log set and hea	arth	kit (doo	rs ca	an b	e or	oen i	or c	lose	d w	hen	bur	nind	1)					
CFL-18-NG/LP-C		•	•	•	•	•	•	•							<i>,</i>		19-1/2"	13-1/2"	23-1/2"	60,000 NG / 60,000 LP
CFL-24-NG/LP-C & CFL-24-IPI-NG/	 ЦР		•		-	•	•	•									22-1/2"	15-1/2"	27-1/2"	60,000 NG / 60,000 LP
CFL-30-NG/LP-C			•				•	•									24"	15-1/2"	30"	60,000 NG / 60,000 LP
Duzy Log Sets	Choose your hearth kit n																			
,,	(hearth kit includes grate	e, bu	rne	r ass	sem	bly,	san	d/ve	ermi	culit	e, g	low	ing	emb	ber n	nate	rial)			
VDY24/18D2A, VDY24/18D3R, VDY24/18D5	VDY24/18NVP (NG) VDY24/18PVP (LP)	•	•	•	•	•	•	•			•						17"	13-1/2"	26"	50,000 NG 50,000 LP
VDY30D2A, VDY30D3R VDY30D5	VDY30NVP (NG) VDY30PVP (LP)	•	•	•	•	•	•	•			٠						18"	13-1/2"	32"	65,000 NG 65,000 LP
Choose from styles and sizes of log sets below*	Choose your hearth kit n				rs a															
Sizes of log sets below	(hearth kit includes grate	e, bu	rne	r ass	sem	bly,	san	d/ve	ermi	culit	e, g	low	ing (emp	per n	nate	rial)			
		e, bu •	rne •	r ass	•	bly, ●	san •	d/ve •	ermi	culit	e, g	low	ing	emp	ber n	nate	rial) 16"	14"	28"	74,000 NG
Fireside Supreme Oak FSO18	-		rnei •	r ass • •	•		san •		ermi	culit	e, g	low		emc	ber n	nate		14" 16"	28" 34"	74,000 NG 84,000 NG
Fireside Supreme Oak FSO18 FSO24		•	•	•	•	•	•	•	ermi	culit	e, g			emc		nate	16"			
Fireside Supreme Oak FSO18	MHK18NG MHK24NG SP18NG SP18LP	•	•	•	•	•	•	•	ermi	culit	e, g			emc	ber n	nate	16" 18"	16"	34"	84,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood	MHK18NG MHK24NG SP18NG SP18LP SP24NG	• • •	•	• •	•	•	•	• •	ermi		e, g			emc	ber n		16" 18" 16"	16" 14"	34" 28"	84,000 NG 60,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118	MHK18NG MHK24NG SP18NG SP18LP SP24NG	• • •	• • •	• •	• • • •	•	• • •	• • •	ermi		e, g				ber n		16" 18" 16" 16"	16" 14" 14"	34" 28" 28"	84,000 NG 60,000 NG 40,000 LP
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood	MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG	• • •	• • •	• •	• • •	•	• • •	• • •			e, g						16" 18" 16" 16" 18"	16" 14" 14" 16"	34" 28" 28" 34"	84,000 NG 60,000 NG 40,000 LP 67,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118	MHK18NG MHK24NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP24LP SP30NG	• • •	• • •	• •	• • •	•	• • • •	• • • •			e, g						16" 18" 16" 16" 18" 18"	16" 14" 14" 16" 16"	34" 28" 28" 34" 34" 42"	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118	MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP24LP SP30NG SP30LP	• • •	• • •	• •	• • •	•	• • • • •	• • • • •			e, g						16" 18" 16" 18" 18" 24" 24"	16" 14" 14" 16" 16" 16" 16"	34" 28" 28" 34" 34" 42" 42"	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118	MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP24LP SP30NG SP30LP OD-18NG OD-18NG	• • •	• • •	• •	• • •	•	• • • • •	• • • • •			e, g						16" 18" 16" 16" 18" 24" 24" 24"	16" 14" 14" 16" 16" 16" 16"	34" 28" 28" 34" 34" 42" 42" 28"	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124	MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP24LP SP30NG SP30LP OD-18NG OD-18NG	• • •	• • •	• •	• • •	•	• • • • •	• • • • •			e, g						16" 18" 16" 18" 18" 24" 24" 24" 16" 18"	16" 14" 14" 16" 16" 16" 16" 14"	34* 28" 34" 34" 42" 42" 28" 34"	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs	MHK18NG MHK18NG MHK24NG MHK24NG SP18NG SP18LP SP24NG SP24LP SP30LP OD-18NG OD-24NG ODSP-18LP	• • •	• • •	• •	• • •	•	• • • • •	• • • • •						•		•	16" 18" 16" 18" 18" 24" 24" 24" 16" 18" 16"	16" 14* 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 14"	34* 28" 28" 34" 34" 42" 42" 28" 34"	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs FRW118 FRW118 FRW124	MHK18NG MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP30LP OD-18NG OD-24NG ODSP-18LP ODSP-24LP	• • •	• • •	• •	• • •	•	• • • • •	• • • • •			e, g					•	16" 18" 16" 18" 18" 24" 24" 24" 16" 18" 18"	16" 14" 14" 16" 16" 16" 16" 14" 14" 16" 14"	34* 28" 28" 34" 42" 42" 28" 34" 28" 34"	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP 61,000 LP
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs FRW118 FRW124 Outdoor Grand Oak	MHK18NG MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP30NG SP30LP OD-18NG OD-24NG ODSP-18LP ODSP-24LP SP ODSP-24LP ODSP-18LP ODSP-18LP ODSP-24LP ODSP-24LP ODSP-24LP	• • •	• • •	• •	• • •	•	• • • • •	• • • • •			e, g			•		•	16" 18" 16" 18" 24" 24" 16" 18" 16" 18" 22"	16" 14* 16" 23"	34* 28* 34* 34* 42* 42* 28* 34* 28* 34* 34*	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP 61,000 LP 86,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs FRW118 FRW124 Outdoor Grand Oak Gas Logs	MHK18NG MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP30NG SP30LP OD-18NG OD-24NG ODSP-18LP ODSP-24LP SP ODSP-24LP ODSP-18LP ODSP-18LP ODSP-24LP ODSP-24LP ODSP-24LP	• • •	• • •	• •	• • •	•	• • • • •	• • • • •						•		•	16" 18" 16" 18" 18" 24" 24" 16" 18" 16" 18" 22" 22"	16" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 23" 23"	34* 28* 34* 34* 42* 42* 42* 34* 34* 34* 34* 34*	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP 61,000 LP 86,000 NG 88,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs FRW118 FRW124 Outdoor Grand Oak	MHK18NG MHK18NG MHK24NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP30NG SP30LP OD-18NG OD-24NG ODSP-18LP ODSP-24LP QDSP-24LP	• • •	• • •	• •	• • •	•	• • • • •	• • • • •			e, g			•		•	16" 18" 16" 18" 24" 24" 16" 18" 16" 18" 22"	16" 14* 16" 23"	34* 28* 34* 34* 42* 42* 28* 34* 28* 34* 34*	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP 61,000 LP 86,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs FRW118 FRW124 Outdoor Grand Oak Gas Logs GO324	MHK18NG MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP30NG SP30LP OD-18NG OD-24NG ODSP-18LP ODSP-24LP SP ODSP-24LP ODSP-18LP ODSP-18LP ODSP-24LP ODSP-24LP ODSP-24LP													•	•		16" 18" 16" 18" 18" 24" 24" 16" 18" 16" 18" 22" 22"	16" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 23" 23"	34* 28* 34* 34* 42* 42* 42* 34* 34* 34* 34* 34*	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP 61,000 LP 86,000 NG 88,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs FRW118 FRW124 Outdoor Grand Oak Gas Logs GO324	MHK18NG MHK18NG MHK24NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP30NG SP30NF OD-18NG OD-24NG ODSP-18LP ODSP-24LP OG0324-MTCH-HK OG0324-IPING-HK OG0324-IPILP-HK	tests fit	• • • • •	• •		• • • • •	• • • • • • • • • • • • • • • • • • •			ely) n	nust k	• •		for op	•		16" 18" 16" 18" 18" 24" 24" 16" 18" 16" 18" 22" 22"	16" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 23" 23"	34* 28* 34* 34* 42* 42* 42* 34* 34* 34* 34* 34*	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP 61,000 LP 86,000 NG 88,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs FRW118 FRW124 Outdoor Grand Oak Gas Logs GO324 † 18" log sets fit 18" hearth kits, 24 See-through Fireside	MHK18NG MHK18NG MHK24NG MHK24NG SP18NG SP18LP SP24NG SP24LP SP30NG SP30LP OD-18NG OD-24NG ODSP-18LP ODSP-24LP OG0324-IPING-HK OG0324-IPILP-HK	tests fit	• • • • •	• •		• • • • •	• • • • • • • • • • • • • • • • • • •			rely) n	nust k	• •		for op	•	•	16" 18" 16" 18" 18" 24" 24" 16" 18" 16" 18" 22" 22"	16" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 23" 23"	34* 28* 34* 34* 42* 42* 42* 34* 34* 34* 34* 34*	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP 61,000 LP 86,000 NG 88,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs FRW118 FRW124 Outdoor Grand Oak Gas Logs GO324 † 18" log sets fit 18" hearth kits, 24 See-through Fireside Supreme Oak	MHK18NG MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP30NF SP30LP OD-18NG OD-24NG ODSP-18LP ODSP-24LP OG0324-MTCH-HK OG0324-IPING-HK OG0324-IPING-HK OG0324-IPING-HK Sets fit 24" hearth kits, 30" log s	tests fit	• • • • •	• •		• • • • •	• • • • • • • • • • • • • • • • • • •			ely) men v	nust k	• •		for op	•	•	16" 18" 16" 18" 18" 24" 24" 16" 18" 16" 18" 22" 22"	16" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 23" 23"	34* 28* 34* 34* 42* 42* 42* 34* 34* 34* 34* 34*	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP 61,000 LP 86,000 NG 88,000 NG
Fireside Supreme Oak FSO18 FSO24 FSO30 Fireside Realwood FRW118 FRW124 Outdoor Gas Logs FRW118 FRW124 Outdoor Grand Oak Gas Logs GO324 † 18" log sets fit 18" hearth kits, 24 See-through Fireside	MHK18NG MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24NG SP30LP OD-18NG OD-24NG ODSP-18LP ODSP-24LP ODSP-24NG ODSP-24NG ODSP-24LP OG0324-MTCH-HK OG0324-IPING-HK OG0324-IPING-HK OG0324-IPILP-HK 'Iog sets fit 24" hearth kits, 30" log s STSP18NG	tests fit	• • • • •	• •		• • • • •	• • • • • • • • • • • • • • • • • • •		epara e op	en v	nust k	• •		for op	•	•	16" 18" 16" 18" 18" 24" 24" 16" 18" 16" 18" 22" 22"	16" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16" 23" 23"	34* 28* 34* 34* 42* 42* 42* 34* 34* 34* 34* 34*	84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP 61,000 LP 86,000 NG 88,000 NG

KEY: MHK or MTCH=Matchlight-requires manual lighting (NG only), SP=Safety Pilot-provides standing pilot for easy lighting, IPI=IntelliFire Ignition System



1. The IntelliFire Ignition System (IPI) is an advanced intermittent pilot ignition system. IPI constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs.

The information provided in this literature is for planning purposes only. Please consult the installation manual for actual installation. Actual product appearance, including flame, may differ from product images. Product information provided is not complete and is subject to change without notice. Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury. Limited Lifetime Warranty - For full warranty details, go to majesticproducts.com. ©2018 Hearth & Home Technologies Inc.

Your Majestic Dealer: _____

www.majesticproducts.com



MAJ-1012U-0919