Direct Vent Gas Fireplaces

WELCOME GREAT STYLE INTO YOUR HOME





MAKE A STYLISH STATEMENT.

With a variety of options, ranging from specialty and contemporary to more traditional styles, you're sure to find the Monessen direct vent gas fireplace to create a statement that's in perfect step with your new home or addition.

ALL OUR DIRECT VENT GAS FIREPLACES OFFER GREAT FEATURES LIKE THESE:

CHECK OUT THE VIEW


Designed to deliver a beautiful flame picture, all our fireplaces provide an expansive view of the fire that will delight friends and family.

COZY COMFORT

No matter which style you choose, you can be sure everyone will cozy up to our Monessen fireplaces that deliver ample BTUs to help heat your home.

EXCLUSIVE CONTROL SYSTEMS

Monessen offers three exclusive control systems designed to deliver just the right level of comfort for your space. From the elegant simplicity of the Ecologic® System to the ultimate control of Total Signature Command®, fireplace control technology has never been better. Optional remote controls, electronic ignition systems, and battery-back up kits ensure your unit operates easily, at peak efficiency and when you need it most — during those winter storms when the power goes out!



You never have to worry about another cold night with a Monessen gas fireplace.

READ MORE ABOUT OUR CONTROL SYSTEMS ON THE BACK COVER.

SAFETY FIRST

Because our fireplaces were designed to deliver maximum BTUs to provide the best heating solutions for your home, the units will become hot to the touch. Consequently, all Monessen/Majestic direct vent fireplaces come standard with a certified safety barrier. The screen barrier affixes to your fireplace and has been approved by a third party testing agency to conform to specific standards designed to prevent injury from hot glass.











UNDERSTATED CHIC

A versatile, easy-to-install fireplace that delivers a great-looking flame, the Patriot model offers excellent value in a stylish package. Accessorize it to suit your space—traditional log set and firebrick, contemporary stone and glass or something in between.

PATRIOT QUICK LOOK



| ., | 2001 |
|-----------------------|--------------------------|
| Sizes | 33", 36", 42" |
| Heating Capacity | Up to 900 sq. ft. |
| Max BTUs | Up to 24,000 |
| Thermal Efficiency | Up to 78% |
| Control System | IPI or Millivolt Control |
| Safety Screen Barrier | Included |
| 160 cfm Blower | Optional |

ADDITIONAL FEATURES

- Flexible installation The Patriot fireplace ships with a traditional log set, ready to add your choice of firebrick or porcelain panels. Swap the log set for a stone and fireglass kit or fireglass for a contemporary look at a budget friendly price.
- Optional battery back up kit (for IPI models)
- Optional remote three step flame control
- Safety screen barrier

DESIGN OPTIONS



Safety Screen Barrier (standard)



Cottage Clay



Cottage Red



Black Porcelain

Fireglass





Sapphire





 ${\sf Diamond}$

Stone and Fireglass Kit



AGLOW WITH CLASSIC STYLE

With three DVB Series models to choose from, you can bring cozy warmth to any room. Create just the right look with optional firebrick and trim packages.

DVB QUICK LOOK

| Sizes | 33", 36", 42" |
|-----------------------|---------------------------------|
| Heating Capacity | Up to 1,020 sq. ft. |
| Max BTUs | 26,000 |
| Thermal Efficiency | Up to 80% |
| Control System | Signature Command® or Millivolt |
| Safety Screen Barrier | Included |
| 160 cfm Blower | Optional |

ADDITIONAL FEATURES

- Natural Flame burner system
- Deluxe control panel
- Safety screen barrier







Safety Screen Barrier (standard)

DESIGN OPTIONS

Interior Firebrick



Cottage Clay



Cottage Red



Black trim available in medium (shown) and curved



CABINET OPTIONS

for 33" and 36" DVB



Barrington Dark Walnut Wall Cabinet



Barrington Unfinished Walnut Wall Cabinet

for 36" and 42" DVB



Honey Oak Wall or Corner Cabinet



Dark Cherry Wall or Corner Cabinet



Unfinished Birch Wall or Corner Cabinet (Available in corner styles by special color)



Unfinished Oak Wall or Corner Cabinet (Available in corner styles by special color)

MODERN DRAMA

Contemporary style, conveniently offered in three sizes to best fit your room. Customize your look and show off your design skills with a wide range of compatible add-ons for the Belmont fireplace system. From alternate firebrick choices to optional stone and fireglass kits, there are plenty of ways to create a fireplace that is uniquely yours.

BELMONT QUICK LOOK

| Sizes | 33", 36", 42" |
|-----------------------|---------------------|
| Heating Capacity | Up to 1,175 sq. ft. |
| Max BTUs | 27,000 |
| Thermal Efficiency | Up to 80% |
| Control System | Signature Command® |
| Safety Screen Barrier | Included |
| 160 cfm Blower | Optional |



SIGNATURE COMMAND' SYSTEM

ADDITIONAL FEATURES

- Clean face design
- Optional forced air blowers
- Optional floor illumination kit
- Available in top vent only
- Safety screen barrier



Safety Screen Barrier (standard)

DESIGN OPTIONS

Interior Liners



Cottage Clay



Cottage Red



Vintage Brown Herringbone



Black Porcelain

Fireglass

Sapphire







Bronze



Diamond

Log Set

Stone and Fireglass Kit







Stone and Glass Burner Kit Glass Burner Kit

Kit



Accent Light also available (not pictured)

Floor Illumination Kit










BRILLIANT BEAUTY

With a more traditional design including louvers and a realistic log set, you can achieve a classic look that becomes a centerpiece of style for your home. Plus, the large format provides a wide viewing area that showcases the dancing flames from anywhere in the room.

MANCHESTER QUICK LOOK

| Sizes | 42", 47" |
|-----------------------|-----------------------|
| Heating Capacity | 1,500 - 1,600 sq. ft. |
| Max BTUs | 32,000 |
| Thermal Efficiency | Up to 80% |
| Control System | Signature Command® |
| Safety Screen Barrier | Included |
| 160 cfm Blower | Optional |





Safety Screen Barrier (standard)

DESIGN OPTIONS

Interior Firebrick



Cottage Clay



Black trim available in curved style







THREE VIEWS, ONE FIREPLACE

With three different configuration options, the Arlington Designer Series adds a dramatic accent to any room. Each style allows you to view the fire from multiple sides, while interior options like contemporary fireglass and stone and light kits transform your fireplace into a statement piece, even when it isn't burning.

SPECIALTY MODEL

ARLINGTON QUICK LOOK

| Styles | See-Thru, Corner, Peninsula |
|-----------------------|-----------------------------|
| Heating Capacity | 1,450 -1,780 sq. ft. |
| Max BTUs | Up to 37,000 |
| Thermal Efficiency | Up to 80% |
| Control System | Signature Command® |
| Safety Screen Barrier | Included |
| 160 cfm Blower | Optional |



SIGNATURE COMMAND*SYSTEM





Corner and See-Thru models come with two screens, Peninsula comes standard with three.

Safety Screen Barriers (standard)

DESIGN OPTIONS

Interior Firebrick







Vintage Brown Herringbone



Black Porcelain



Sapphire

Onyx





Bronze





Stone and Fireglass Kit



Contemporary stone with Bronze fireglass kit Note: Fireglass kits include one 2.25 lb. bag. Arlington Designer units require 2 bags.











MONESSEN DIRECT VENT SYSTEMS LINEUP


| MODEL | | PATRIOT | | | DVB | | | |
|---------------------------------|---|-----------------------------------|-------------------------------|--|----------------------------------|---------------------------------------|--|--|
| SIZES | 33" | 36" | 42" | 33" | 36" | 42" | | |
| Model Number | 33CFDV | 36CFDV | 42CFDV | 300DVB | 400DVB | 500DVB | | |
| Standout Feature | Easily converti | ble from a traditional to a conte | emporary look. | Many choices for inishing to fit any decor | | | | |
| Control System | | IPI or Millivolt Control | | | Signature Command® | | | |
| Max heating capacity (sq ft) | 600 | 735 | 900 | 835 | 940 | 1,015 | | |
| Viewing style | | Front, Clean Face | | | Front | | | |
| Maximum viewing area (sq in) | 540 | 580 | 660 | 486 | 591 | 672 | | |
| Max BTU/h* | 18,000 | 21,000 | 24,000 | 21,000 | 24,000 | 26,000 | | |
| Thermal efficiency | Up to 66.7% | Up to 70% | Up to 75% | | Up to 80% | | | |
| Burner system | | Natural Flame | | Natural Flame | | | | |
| AFUE Efficiency | Up to 63.8% | Up to 66% | Up to 72.8% | Up to 63.2% | | | | |
| FE Ratings (Canada) | 61.9% NG 72.6% LP | | | 61.8%NG 55.7% LP | 61.1% NG 60.7% LP | 61.3%NG 60.8% LP | | |
| Dimensions (Actual) | 32 %" W 31 ³ 4" H 15 % " D | 37" W 34 %" H 15 %" D | 41" W 34 %" H 15 %" D | 33 1/6" W 37 1/6" H 14" D | 37 1/4;" W 41 1/2" H 16" D | 41 1/16" W 41 1/2" H 16" D | | |
| Dimensions (Framing) | 32 7⁄6" W 35 7⁄6" H 15 5⁄6" D | 37 ½" W 38 ¾" H 15 %" D | 41 ½" W 38 ¾" H 15 %" D | 33 ½" W 38" H 13 ¾" D | 37 ½" W 41 %" H 15 ¾" D | 41 ½" W 41 % " H 15 ¾" D | | |
| ACCESSORIES | | | | | | | | |
| Remotes | Optional | Optional | Optional | | Optional | | | |
| Blower Kits | Optional | Optional | Optional | Optional | | | | |
| Field Fuel Conversion Kit | Available | Available | Available | Available | | | | |


CABINET DIMENSIONS

| PRODUCT | SURROUND | Α | В | С | D | Е | F | G | Н | I | MAX ADJ OPENING | MIN ADJ OPENING | MAX FIREPLACE DEPTH |
|-------------------|--------------------|---------|---------|---------|---------|---------|--------|-------|---------|----|--------------------|--------------------|---------------------------|
| STANDARD WA | LL CABINET MANT | ELS | | | | | | | | | | | |
| 400DVB | WSHGC32 | 57 ¾" | 21" | 49 ¾" | 18" | 39 ¼" | 37 ¾" | 35 %" | 52 1/4" | 5" | _ | _ | _ |
| 500DVB | WSHGC36 | 61 ½" | 22 1/4" | 49 ¾" | 19 ¾" | 43 ¼" | 41 ¾" | 35 %" | 56 ¼" | 5" | _ | _ | _ |
| STANDARD CO | RNER CABINET MA | NTELS | | | | | | | | | | | |
| 400DVB | CSHGC32 | 62" | 43 %" | 35 5/8" | 49 ¾" | 39 1/4" | 37 ¾" | 35 %" | 57 1/4" | 5" | _ | _ | _ |
| 500DVB | CSHGC36 | 67 ½" | 47 ¾" | 39 1/8" | 49 ¾" | 43 ¼" | 41 ¾" | 35 %" | 63" | 5" | _ | _ | _ |
| BARRINGTON | BARRINGTON CABINET | | | | | | | | | | | | |
| 300DVB | BWC400 | 61 %16" | 18 ¼" | 50 ¾" | 34 3/4" | 5" | 47 5%" | 30" | _ | _ | 35 ½" W 32 ¾" H | 32" W 29" H | 14" |
| 400DVB, 500DVB | BWC500 | 67 ½" | 22 ¼" | 55" | _ | _ | _ | _ | _ | _ | 42" W 37 %" H | 36" W 33" H | 18" |


Orange indicates upgrade from previous model.

| | BELMONT | | MANC | HESTER | ARLINGTON | | | | |
|--------------------------------|---|---|---|--|--|--|--|--|--|
| 33" | 36" | 42" | 42" | 47" | | 36" DESIGNER | | | |
| BLDV300 | BLDV400 | BLDV500 | 500MDV | 600MDV | STLDV, PFLDV, CLLDV, CRLDV | | | | |
| Stylish finishii | ng options from traditional | to contemporary | Wide viewing area, increased wa | 3 different configurations for versatile style and installation option | | | | | |
| | Signature Command® | | Signature Command® Signature Com | | | | | | |
| 850 | 1,060 | 1,200 | 1,500 | 1,600 | | 1,780 | | | |
| | Front, Clean Face | | | ont | See-Thru | See-Thru, Corner, Peninsula (all clean face) | | | |
| 600 | 754 | 858 | 764 | 903 | See Thru: 2,000 | Peninsula: 2,771 | Corner: 1,762 | | |
| 22,000 | 26,000 | 28,000 | 30,000 | 32,000 | | 37,000 | | | |
| | Up to 80% | | Up to | o 80% | Up to 80% | | | | |
| | Natural Flame | | Naturo | al Flame | _ | | | | |
| _ | Up to 71% | Up to 68.1% | Up to 64% | _ | 67.01% NG 68.28% LP | | | | |
| 60.2% NG 64.2% LP | 68.1% NG 62.8% LP | 64.1% NG 67.9% LP | Up to 82% | Up to 78% | 69.7% NG 79.4% LP | | | | |
| 34 ½" W 37 ¾" H 15 %6" D | 37 ¼ ₆ " W 40 ½" H 17 % ₆ " D | 41 ¼ն" W 41 ¾" H 17 %ն" D | 41" W 47" W 46 5/16" H 46 5/16" H 22 5/16" D 22 5/16" D | | See Thru: 44" W 40 5/16" H 23 34" D | Peninsula: 44" W 40 5/16" H 23 3/4" D | Corner: 44" W 40 %;" H 23 34" D | | |
| 34 %" W 38 %" H 15 %" D | 37 1/16" W 41 3/4" H 17 1/16" D | 41 ⁷ /սն" W 41 ¾" H 17 ¹ /սն" D | 42 ½" W 46 ½" H 20 ¾" D | 48 ¼ ₆ " W 46 ½" H 20 %" D | See Thru: 50 ¼₀" W 48 ¾₀" H 23" D | Peninsula: 46 | Corner: 46 %" W 48 %6" H 23" D | | |
| | | | | | | | | | |
| | Optional | | Орт | ional | Optional | | | | |
| | Optional Optional Optional | | | | | | | | |
| | Available | | Ava | ilable | Available | | | | |









ULTIMATE CONVENIENCE AT YOUR FINGERTIPS

Monessen offers three control systems for our direct vent gas fireplaces. Discover the level of control that's right for you!

EcoLogic® System

The EcoLogic® fireplace control system offers the benefits of an energy efficient intermittent pilot system, with the simplicity of a millivolt valve.

Featuring:

- Electronic ignition just flip the wall switch to enjoy your fireplace.
- Pilot selection option choice of cold climate standing pilot or the energy efficient intermittent pilot
- Memory shut off remembers your favorite setting the next time the fireplace is turned on
- Convenient diagnostic code indication lights
- Built-in remote receiver for the option to easily add a remote control

Signature Command® System

An A/C adaptor is included; however, unlike competing control systems that require A/C to function, the Signature Command® System can be installed where no power is available, making it more convenient than ever to enjoy your fireplace.

Featuring:

- ON/OFF 3-step variable flame height adjustment
- Automatic, uninterrupted battery back-up during power outages
- Pilot selection option choice of cold climate standing pilot or the energy efficient intermittent pilot
- Memory shut off remembers your favorite setting the next time the fireplace is turned on
- Convenient diagnostic code indication lights
- Built-in remote receiver for the option to easily add a remote control

Total Signature Command® System

Enjoy the convenience of a technologically advanced and energy efficient fireplace control system! By adding a simple module you can have all the features below*:

Featuring:

All of the features included with Signature Command® System

PLUS:

- Smart Mode® thermostat for enhanced energy efficiency it automatically adjusts flame height and/or blower to maintain the desired temperature, using only the energy it needs to help save on fuel costs.
- TSFSC Full Function Touch Screen remote control
- Rear burner shut down feature lowers heat output as much as 70% for ambiance when heat is not needed (on select fireplaces)
- A/C accessory model for added control features, like household lighting, waterfall feature, and more!

*if equipped with required accessories

Remotes and thermostats are available for all models for added convenience.



Touch screen hand held ON/OFF remote. A Touch Screen remote comes standard with Total Signature Command® models.



Thermostat ON/OFF remote control with 3-step flame height adjustment and 3-step blower control with receiver.

Not all control systems available on all models.



LOVE AT FIRST LIGHT

A Brand of Vermont Castings Group 149 Cleveland Drive, Paris, Kentucky 40361 monessenhearth.com



















Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass.



To avoid personal injury or properly damage, the product described by this brochure must be installed, operated and maintained in strict complicance with the instructions packaged with the product, and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended, nor should they be used as a substitute, for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2015 Vermont Castings Group

MON 1212 Ver. 03

Your Monessen Dealer:

For more information about Vermont Castings Group and Monessen efficient and environmentally friendly products, please visit monessenhearth com