
# Vented Gas Logs BEAUTIFUL STYLE. IMPRESSIVE HEAT.








## VENTED GAS LOGS

Adding the beauty and warmth of fire to your existing masonry or wood burning fireplace is easier than ever with the vented gas logs from Majestic. Available in a range of sizes to suit your particular requirements, our vented gas logs are a great alternative installing a whole new fireplace.

Meticulous attention to detail makes the vented gas logs from Majestic look incredibly realistic and the glowing embers add to their warm ambiance. Vented gas logs from Majestic are the natural choice for your home.








VWF Split River Oak Refractory

### WILD FLAME SERIES

- Up to 22,000 BTUs of radiant heat
- Factory assembled burner, damper clamp, lava rock, vermiculite, and rock wool embers
- Extra large ember bed and built-in accent burner
- Hidden control
- Factory leak tested, CSA design approved
- Limited lifetime warranty

### **DUZY SERIES**

- Three log styles
- Up to 17,000 BTUs of radiant heat
- Manual or Millivolt Control with safety pilot - Patented Natural Flame<sup>™</sup> stainless steel burner
- system with outstanding flame realism
- Clean burning design for both natural gas and liquid propane
- Factory leak tested and CSA approved
- Engineered design prevents heat stress to controls
- Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces
- Matchless piezo ignition for quick, easy lighting
- Limited lifetime warranty




#### **OPTIONAL ACCESSORIES**




Metal insulated remote reciever cover





Duzy 5





Ember remote reciever cover



Cinders



Decorative fibe ember kit

### Specifications CSA and RADCO Vented Gas Logs

	(Wid	Fireplace Opening Ith x Height x Depth x Real	<sup>r</sup> Width)	CS BTU	SA I/Hr.	Heating	SA Capacity J/Hr	RAI Btu	)CO //Hr.	Heating	DCO Capacity J/Hr
MODEL	Manual Control RADCO	Manual SPK Control RADCO	Millivolt Control CSA and RADCO	NG	LP	NG	LP	NG	LP	NG	LP
CLASSIC WILD FLAM	E SERIES										
VWF18MO Massive Oak	22"W x 16"H x 13"D x 19"RW	24"W x 16"H x 13 ½"D x 21"RW	28"W x 16"H x 13 <b>½</b> "D x 25"RW	60,000	60,000	14,000	14,000	80,000	60,000	18,000	14,000
VWF24MO Massive Oak	28"W x 16"H x 13"D x 25"RW	30"W x 16"H x 13 <b>½</b> "D x 27"RW	34"W x 16"H x 13 <b>½</b> "D x 31"RW	70,000	60,000	16,000	14,000	90,000	60,000	20,000	14,000
VWF30MO Massive Oak	34"W x 16"H x 13 1⁄2"D x 31"RW	36"W x 16"H x 13 ½"D x 33"RW	40"W x 16"H x 13 1⁄2"D x37"RW	80,000	60,000	14,000	22,000	90,000	60,000	22,000	14,000
VWF18AO American Oak	24"W x 16"H x 16"D x 20"RW	24"W x 16"H x 13 1⁄2"D x 21"RW	28"W x 16"H x 13 1⁄2"D x 25"RW	60,000	60,000	14,000	14,000	80,000	60,000	18,000	14,000
VWF24AO American Oak	26"W x 16"H x 13 1⁄2"D x 26"RW	30"W x 16"H x 13 <b>½</b> "D x 27"RW	34"W x 16"H x 13 <b>½</b> "D x 31"RW	70,000	60,000	16,000	14,000	90,000	60,000	20,000	14,000
VWF30AO American Oak	34"W x 16"H x 13 1⁄2"D x 31"RW	36"W x 16"H x 13 1⁄2"D x 33"RW	40"W x 16"H x 13 1⁄2"D x37"RW	80,000	60,000	14,000	22,000	90,000	60,000	22,000	14,000
VWF18MOST Massive Oak See-Thru	24"W x 16"H x 16"D x 20"RW	24"W x 16"H x 16"D x 24"RW	28"W x 16"H x 16"D x 28"RW	60,000	60,000	14,000	14,000	80,000	60,000	14,000	18,000
VWF24MOST Massive Oak See-Thru	28"W x 16"H x 16"D x 26"RW	30"W x 16"H x 16"D x 30"RW	34"W x 16"H x 16"D x 34"RW	70,000	60,000	16,000	14,000	90,000	60,000	20,000	14,000
COLOSSAL WILD FLA	ME SERIES										
VWF24/18SRO Split River Oak	22"W x 16"H x 13"D x 19"RW	24"W x 16"H x 13 <b>½</b> "D x 21"RW	28"W x 16"H x 13 <b>½</b> "D x 25"RW	60,000	60,000	14,000	14,000	80,000	60,000	18,000	14,000
VWF30/24SR0 Split River Oak	28"W x 16"H x 13"D x 25"RW	30"W x 16"H x 13 ½"D x 27"RW	34"W x 16"H x 13 1⁄2"D x 31"RW	70,000	60,000	16,000	14,000	90,000	60,000	20,000	14,000
VWF36/30SRO Split River Oak	34"W x 16"H x 13 1⁄2"D x 31"RW	36"W x 16"H x 13 <b>½</b> "D x 33"RW	40"W x 16"H x 13 1⁄2"D x37"RW	80,000	60,000	14,000	22,000	90,000	60,000	22,000	14,000

#### **Specifications CSA Vented Gas Logs**

	Fireplace Opening (Width x Height x Depth x Rear Width)			BTI	Heating Capacity	
MODEL	Manual Control	Manual SPK Control	Millivolt Control	NG	LP	BTU/Hr.
DUZY SERIES						
VDY24/18D2A Duzy 2	26"W x 16"H x 13 <b>½</b> "D x 17"RW	-	26"W x 16"H x 13 <b>½</b> "D x 18"RW	50,000	50,000	15,000
VDY30D2A Duzy 2	32"W x 16"H x 13 1⁄2"D x 18"RW	-	32"W x 16"H x 13 1⁄2"D x 24"RW	65,000	65,000	17,000
VDY24/18D3R Duzy 3	26"W x 16"H x 13 1⁄2"D x 17"RW	-	26"W x 16"H x 13 1⁄2"D x 18"RW	50,000	50,000	15,000
VDY30D3R Duzy 3	32"W x 16"H x 13 1⁄2"D x 18"RW	-	32"W x 16"H x 13 1⁄2"D x 24"RW	65,000	65,000	17,000
VDY24/18D5R Duzy 5	26"W x 16"H x 13 1⁄2"D x 17"RW	-	26"W x 16"H x 13 1⁄2"D x 18"RW	50,000	50,000	15,000
VDY30D5R Duzy 5	32"W x 16"H x 13 <b>½</b> "D x 18"RW	-	32"W x 16"H x 13 <b>½</b> "D x 24"RW	65,000	65,000	17,000

\*Individual results may vary and are dependent on the shape and design of your space, the amount and quality of insulation in your home, the outdoor temperature, and other factors.



YOUR STYLE. YOUR HOME. YOUR LIFE

149 Cleveland Drive Paris, Kentucky 40361 www.majesticproducts.com Your Majestic Dealer: \_\_\_\_\_



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product, and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended, nor should they be used as a substitute, for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. ©2015 Hearth & Home Technologies<sup>®</sup> Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass.

For more information about Vermont Castings Group and Majestic efficient and environmentally friendly products, please visit www.majesticproducts.com Ver.05 9508MAJ