

DRT4240/45

 CUSTOM SERIES DIRECT VENT GAS FIREPLACES

Superior
FIREPLACES®
Our name is our promise.



TRADITIONAL

The DRT4200 Series of direct vent gas fireplaces is the epitome of luxurious value. This charming fireplace series comes standard with multiple premium features including gorgeous high-definition logs, interior lighting, and ceramic glass. Whether powered off or on, the DRT4200 Series fireplaces will retain their warm and lavish appeal throughout each season of the year.



FEATURED DRT4240 with Black Reflective Porcelain interior

EXCLUSIVE FEATURES

- 🔥 Available in 40" and 45" clean-faced models
- 🔥 40" models combo top/rear flue configuration; 45" models dedicated top flue configuration
- 🔥 Outstanding heating efficiency for increased comfort and lower operating cost
- 🔥 Electronic ignition with seamless battery backup provides continued operation in the event of a power outage (IPI/CPI switch standard)
- 🔥 Ceramic glass for optimum heat transfer and a protective screen*
- 🔥 Beautifully crafted high-definition ceramic fiber log set with heavy-duty grate
- 🔥 Interior selections (one required) consist of black reflective porcelain or a variety of ceramic fiber liners
- 🔥 Durable textured powder coat finish
- 🔥 Mood-enhancing interior illumination with six distinctive settings
- 🔥 Full-function remote control (thermostat, dual flame, blower, lighting, IPI/CPI)
- 🔥 Factory installed blower with six speed settings to fine tune your heating needs
- 🔥 20-year limited warranty

*All applicable models comply with ANSI Z21.50/88 barrier requirements.



DRT4240 with Black Reflective Porcelain liner kit

REQUIRED OPTIONS (CHOOSE ONE)

Gorgeous Black Reflective Porcelain and Ceramic Fiber liner kits available



Black Reflective Porcelain Liner



Black Tie Ceramic Fiber Liner



Old Town Red Ceramic Fiber Liner




Heritage Brown Ceramic Fiber Liner

ACCESSORIES




Multi-function, touch screen remote (Standard)

APPLIANCE SPECIFICATIONS



FLAT WALL FRAMING SPECIFICATIONS



	DRT4240	DRT4245
A	37-1/8"	37-1/8"
B	33-1/4"	33-1/4"
C	27-1/4"	27-1/4"
D (DOOR)	37-3/8"	42-3/8"
E	40-1/4"	45-1/4"
F	30"	35"
G	15"	17-1/2"
H	37-7/8"	42-7/8"
I	6-7/8"	6-7/8"
J	21"	21"
K	12-3/8"	12-3/8"

	DRT4240	DRT4245
L	40-7/8"	45-7/8"
M	41-1/4"	41-1/4"
N	22"	22"
O	28-1/4"	N/A
P	43-3/4"	55-3/4"

FIREPLACE EFFICIENCIES — Listed to ANSI Z21.88 as a gas fireplace heater.

MODEL	FUEL	BTU/HR	AFUE**	P4 / ENERGYGUIDE*
DRT4240	NG	24,000-36,000	67%	60%
DRT4240	LP	21,000-31,000	67%	60%
DRT4245	NG	25,000-42,000	67%	65%
DRT4245	LP	22,000-41,000	67%	65%

On the Cover: DRT4240 with Old Town Red interior

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

*Intermittent ignition systems.

**Annual Fuel Utilization Efficiency (AFUE) is the recognized U.S. rating system for the total efficiency of heating products.



Approved for use with European Copper and Chimney Classics chimney tops, which improve performance and add an elegant touch.



© 2016 Innovative Hearth Products

785676M 08/16

Visit us online



SuperiorFireplaces.us.com



Report #16-120

