



2340 Logan Avenue
Winnipeg, Manitoba, Canada R2R 2V3
Phone: (204) 632-1962 Fax: (204) 632-1960
www.kingsmanfireplaces.com

ZCVRB3622

ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE




*Components may have to be ordered separately to create a complete unit. Discuss with your local Kingsman dealer for clarification.

Kingsman Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.
Certified to: ANSI Z21.88-2014, CSA 2.33-2014, CGA 2.17-M91 (R2009) Vented Gas Fireplace Heater.



ZCVRB3622

ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

The unit illustrated is a ZCVRB3622N Zero Clearance Direct Vent Natural Gas Linear Fireplace, with Decorative Bronze Glass, ZCVRB36SBL Surround Trim Kit- Black, Z3622PRL Porcelain Reflective Liner and optional ULK2 Universal Light Kit.



ZCVRB3622

ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

The unit illustrated is a ZCVRB3622N Zero Clearance Direct Vent Natural Gas Linear Fireplace, with Decorative Bronze Glass, ZCVRB36SSS Surround Trim Kit- Stainless Steel, Z3622PRL Porcelain Reflective Liner and optional ULK2 Universal Light Kit.

Model	ZCVRB3622N/ ZCVRB3622NE	ZCVRB3622LP/ ZCVRB3622LPE
Fuel	Natural	Propane
Input Max.	17,500	17,500
Input Min.	12,000	14,000
FE (P.4.1-02)	62.5 / 65.7%	63.9 / 66.9%

Warm up your favourite room with the beauty of a Linear Fireplace.

STANDARD FEATURES*

- Hi/Low Millivolt or IPI valve system will operate during power failures
- Decorative Bronze Glass
- Mobile Home, Bedroom and Bed Sitting Room approved
- Safety Screen Barrier*



Safety Screen Barrier

OPTIONAL FEATURES

Surround Trim Kit

Black and Stainless Steel (36" w x 22 1/2" h)

Fan Kit

Heat activated with variable speed control

Wall Mount Thermostat

Standard On/Off or Programmable 5 day (weekday) and 2 day (weekend)

Remote Control

On/Off, Thermostat On/Off, Thermostat On/Off modulating



Porcelain Reflective Liner

Universal Light Kit

Two Lamps

* All gas fireplaces manufactured as of January 1, 2015 will include a Safety Screen Barrier.

The ultimate in Zero Clearance

Direct Vent Fireplaces for new

home construction or renovation,

and your best choice for installation

anywhere throughout your home.

UNIT AND FRAMING SPECIFICATIONS (IN.)

Height Actual	Height Framing	Width Actual	Width Framing	Depth Actual	Depth Framing
37 1/8"	37 1/4"	36"	36 3/8"	17 7/16"	17 1/2"

